

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE J	PAGE OF PAGES 1 7
2. AMENDMENT/MODIFICATION NO. P00013	3. EFFECTIVE DATE See Block 16C.	4. REQUISITION/PURCHASE REQ. NO. N/A	5. PROJECT NO. (If applicable) AIT-II	
6. ISSUED BY US Army CECOM Acquisition Center- Washington ATTN: AMSEL-AC-WA-C (G. McGee (703) 325-2927) 2461 Eisenhower Avenue Alexandria, Virginia 22331-0700 e-mail: gmcgee@hoffman-issaa2.army.mil	CODE W909MY	7. ADMINISTERED BY (If other than Item 6) DCMC Long Island 605 Stewart Ave. Garden City, NY 11530-476		CODE S3309A
8. NAME AND ADDRESS OF CONTRACTOR Symbol Technologies Inc. One Symbol Plaza Holtsville, New York 11742-1300			(✓) 9A. AMENDMENT OF SOLICITATION NO.	
			9B. DATED (SEE ITEM 11)	
			X 10A. MODIFICATION OF CONTRACT/ORDER NO. DAAB15-99-D-0015	
			10B. DATED (SEE ITEM 13)	13 July 1999
CODE 64928	FACILITY CODE			

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning ___ copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

N/A

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.



(✓) A.	THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
B.	THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
X C.	THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1-1(h), Current Technology and Substitutions/Additions/Insertions

E. IMPORTANT: Contractor ___ is not, X is required to sign this document and return 1 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

See Pages 2 through 7.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print) MARGARET E. FAGAN, Contract Manager Symbol Technologies, Inc.	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) GLORIA J. McGEE, Contracting Officer (703) 325-2927 e-mail: gmcgee@hoffman-issaa2.army.mil
15B. CONTRACTOR/OFFEROR  (Signature of person authorized to sign)	15C. DATE SIGNED 9/8/00
16B. UNITED STATES OF AMERICA BY  (Signature of Contracting Officer)	16C. DATE SIGNED 15 Sep 2000

A. The purpose of this modification is to:

Incorporate Symbol Technologies Inc.'s Contract Change Proposal 0013 (CCP-0013), EUM Requirement Change to Commercial Manuals. The proposal deletes the requirement for Government Furnished End User Manuals to be included into Transit Cases and requires commercial manuals for the equipment instead.

B. Section B, Supplies/Services, is hereby modified as follows:

The Sub-Contract Line Items Numbers (SLINs) are changed in accordance with the table below. All changes are indicated in **bold**.

SLIN	DESCRIPTION	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. On Page 1 of this Part and Part C-1-1(e) for ordering periods.	UNIT OF ISSUE	Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
X011AA	PDCT-B1 Transit Case Configuration , Description/Quantity, PDCT-B1 Hand-held, Programmable PDCT Without Integral Bar Code Scanner, stored in a Universal PDCT Holster with Scanner Strap inside a Transit Case cutout, 2 each;; Non-contact, Hand-held, Laser Bar Code Scanner, Low to High Density, 2 each;; Commercial User Manuals ;; Interface Cables and Automatic Breakout Box;; Rechargeable Batteries, Operating and Spare, 2 sets each;; Battery Charger, 2 each;; AC Adapter, 2 each;; Set of Universal Power Plug Adapters, 2 each;; Communication Docking Station/Battery Charger, 2 each;; Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set. , Transit Case, 1 each. SYMBOL SYMKT-BI	EA	4217	4522	4296	4081	3877
X011BA	PDCT-B3MX2 (902-928 Megahertz), RF Transit Case Configuration , Description/Quantity, PDCT-B3M (902-928 MHz) RF One-handed Operation, with Integral 2D Scanner, stored in a Universal PDCT Holster, inside a Transit Case cutout, 2 each;; Rechargeable Batteries, Operating and Spare, 2 sets each;; Multiple Battery Charger;; Battery Charger, 2 each;; AC Adapter, 2 each;; Communication Docking Station/Battery Charger, 2 each;; Set of Universal Power Plug Adapters, 2 each;; Commercial User Manuals ;; Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set. , Transit Case, 1 each. SYMBOL SYMKT-B3MX2	EA	3970	4258	4045	3842	3650
X011CA	PDCT-B3GX2 (2.45 Gigahertz), RF Transit Case Configuration , Description/Quantity, PDCT-B3G (2.4 to 2.5 GHz) RF One-handed Operation, with integral 2D Scanner, stored in a Universal PDCT Holster, inside a Transit Case cutout, 2 each;; Rechargeable Batteries, Operating and Spare, 2 sets each;; Multiple Battery Charger;; Battery Charger, 2 each;; AC Adapter, 2 each;; Communication Docking Station/Battery Charger, 2	EA	4080	4375	4157	3949	3751

	each);, Set of Universal Power Plug Adapters, 2 each);, Commercial User Manuals ;, Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set. , Transit Case, 1 each. SYMBOL SYMKT-B3GX2						
X011DA	PDCT-B3MX5 (902-928 Megahertz), RF Transit Case Configuration , Description/Quantity, PDCT-B3M (902-928 MHz) RF One-handed Operation, with Integral 2D Scanner, stored in a Universal PDCT Holster, inside a Transit Case cutout, 5 each; Rechargeable Batteries, Operating and Spare, 5 sets each; Multiple Battery Charger; Battery Charger, 5 each; AC Adapter, 5 each; Communication Docking Station/Battery Charger, 5 each; Set of Universal Power Plug Adapters, 5 each; Commercial User Manuals ;, Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set. , Transit Case, 1 each. SYMBOL SYMKT-B3MX5	EA	8689	9317	8852	8409	7988
X011EA	PDCT-B3GX5 (2.45 Gigahertz), RF Transit Case Configuration , Description/Quantity, PDCT-B3G (2.45 GHz) RF One-handed Operation, with integral 2D Scanner, stored in a Universal PDCT Holster, inside a Transit Case cutout, 5 each; Rechargeable Batteries, Operating and Spare, 5 sets each; Multiple Battery Charger; Battery Charger, 5 each; AC Adapter, 5 each; Communication Docking Station/Battery Charger, 5 each; Set of Universal Power Plug Adapters, 5 each; Commercial User Manuals ;, Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set. , Transit Case, 1 each. SYMBOL SYMKT-B3GX5	EA	8964	9612	9131	8675	8241
X011FA	RF Access Point, 902-928 Megahertz, Transit Case Configuration, Description/Quantity, Access Point, 902-928 MHz, RF Relay, 902-928 MHz; Set of Universal Power Plug Adapters; 200-foot Access Point-to-Controller Cable; Omnidirectional Antenna; 40-foot Coaxial Antenna Cable, with lightning arrester with connectors; Interface Cable to host computer; Commercial User Manuals ; Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set. , Transit Case. SYMBOL SYMKT-RFAP-S1	EA	3890	3501	3151	2836	2552
X011GA	RF Access Point, 2.4 to 2.5 Gigahertz Transit , Case Configuration, Description/Quantity, RF Access Point, 2.45 GHz; RF Relay, 2.45 GHz; Set of Universal Power Plug Adapters; 200-foot Access Point-to-Controller Cable; Omnidirectional Antenna; 40-foot Coaxial Antenna Cable, with lightning arrester with connectors; Interface Cable to host computer; Commercial User Manuals ; Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set. , Transit Case. SYMBOL SYMKT-RFAP-S24	EA	3742	3368	3031	2728	2455
X011HA	Portable Bar Code Label Printer, Transit Case Configuration , Description/Quantity, Portable Bar Code Label Printer, 3 each; Printer Carrying Case with shoulder strap, 3 each; Rechargeable Batteries, Operating and Spare, 3 sets each; Battery Charger, 3 each; Interface Cable, 3 each; Commercial User Manuals ; AC Adapter, 3 each; Set of Universal Power Plug Adapters, 3 each; Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set. , Transit Case, 1 each. SYMBOL SYMKT-PBCLP	EA	3975	3975	3975	3975	3975
X011JA	Portable Bar Code Label Printer Accessories, Transit Case Configuration, Description/Quantity, Thermal Transfer Printing Media Package (consisting of one roll each of resin-based, thermal	EA	2431	2431	2431	2431	2431

	transfer printing ribbon, and 6 rolls each of 4 by 6-inch plastic bar code label stock), 3 sets each, Carrying Case for printer, spare set of rechargeable batteries, and one roll of bar code label stock, with shoulder strap; Portable Bar Code Verifier; 5 mil, visible light, wand bar code scanner for portable bar code verifier; Set of rechargeable batteries for portable bar code verifier, 2 each; AC Adapter for portable bar code verifier; Battery Charger for portable bar code verifier; Bar Code Symbology Test Sheets for portable bar code verifier; Reflectance Measurement Stand for portable bar code verifier; Commercial User Manuals ; Set of Universal Power Plug Adapters for portable bar code verifier; Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set.						
X011KA	Medium Capability Bar Code Label Printer, Transit Case Configuration, Description/Quantity, Medium Capability Bar Code Label Printer; Serial Interface Cable to host computer; Power Cable; Set of Universal Power Plug Adapters; Commercial User Manuals ; Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set. Transit Case. SYMBOL SYMKT-MCBCLP	EA	1779	1779	1779	1779	1779
X011LA	Medium Capability Bar Code Label Printer Accessories, Transit Case Configuration, Description/Quantity, Operator's Maintenance Kit; 8-inch roll of 4 by 6-inch, plastic bar code label stock, 2 each; Automatic Take-up Reel with 8-inch reel; Resin Printer Ribbon (sufficient for printing 2 rolls label stock); Portable Bar Code Verifier; 5 mil, visible light, wand bar code scanner for portable bar code verifier; Set of rechargeable batteries for portable bar code verifier, 2 each; AC Adapter for portable bar code verifier; Battery Charger for portable bar code verifier; Bar Code Symbology Test Sheets for portable bar code verifier; Reflectance Measurement Stand for portable bar code verifier; Commercial User Manuals ; Set of Universal Power Plug Adapters for portable bar code verifier; Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set. Transit Case, 1 each. SYMBOL SYMKT-MCBCLPA	EA	2315	2315	2315	2315	2315
X011MA	Optical Memory Card Reader/Writer, Transit Case Configuration, Description/Quantity, Optical Memory Card Reader/Writer, 1 each; Commercial User Manuals ; Set of Universal Power Plug Adapters, 1 each; Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set. Transit Case, 1 each. SYMBOL SYMKT-OMCRW	EA	6791	6791	6791	6791	6791

C. Part D-1 is changed as follows:

1. Paragraph 4.15 is changed from:

The Contractor shall provide Transit Case Configurations that are grouped as defined in the previous paragraph. Each Configuration shall be self-contained, and shall include all necessary adapters, cables, and components to operate worldwide. The Contractor shall consolidate applicable accessories with the associated primary component identified in a Transit Case. The Government will provide End User Manuals (EUMs) to be included in each Transit Case. Contractor furnished Transit Case Configurations Videotape and CD-ROM Training defined in the Paragraph entitled: "Transit Case Configurations Training Videotapes and CD-ROMs" shall also be included for each of the four functional Transit Case Groups. If the Government does not furnish the EUMs to the Contractor prior to Transit Case shipment, or if the Contractor furnished Transit Case Configuration Videotapes and CD-ROMs are not completed prior to Transit Case shipment, the Contractor shall ensure that cut-outs are provided for the videotape and CD-ROM training (one or two CD-ROMs) and the EUM (the size of the EUM is 8-1/2 inches by 11 inches by 3/4-inch).

to:

The Contractor shall provide Transit Case Configurations that are grouped as defined in the previous paragraph. Each Configuration shall be self-contained, and shall include all necessary adapters, cables and components, and commercial user manuals to operate worldwide. The Contractor shall consolidate applicable accessories with the associated primary component identified in a Transit Case. Contractor furnished Transit Case Configurations Videotape and CD-ROM Training defined in the Paragraph entitled: "Transit Case Configurations Training Videotapes and CD-ROMs" shall also be included for each of the four functional Transit Case Groups. If the Contractor furnished Transit Case Configuration Videotapes and CD-ROMs are not completed prior to Transit Case shipment, the Contractor shall ensure that cut-outs are provided for the videotape and CD-ROM training (one or two CD-ROMs). Commercial user manuals shall be provided in accordance with the paragraph entitled "USER MANUALS" and secured within appropriate width slot(s) within each Transit Case.

2. Paragraph 4.15.1.1.c is changed from: "End User Manual (GFI), 2 each;" to: "Commercial Manuals, 1 per each piece of equipment;"

3. Paragraph 4.15.1.2.h is changed from: "End User Manual (GFI), 2 each;" to: "Commercial Manuals, 1 per each piece of equipment;"

4. Paragraph 4.15.1.3.h is changed from: "End User Manual (GFI), 2 each;" to: "Commercial Manuals, 1 per each piece of equipment;"

5. Paragraph 4.15.1.4.h is changed from: "End User Manual (GFI), 5 each;" to: "Commercial Manuals, 1 per each piece of equipment;"

6. Paragraph 4.15.1.5.h is changed from: "End User Manual (GFI), 5 each;" to: "Commercial Manuals, 1 per each piece of equipment;"
7. Paragraph 4.15.2.1.h is changed from: "End User Manual (GFI);" to: "Commercial Manuals, 1 per each piece of equipment;"
8. Paragraph 4.15.2.2.h is changed from: "End User Manual (GFI);" to: "Commercial Manuals, 1 per each piece of equipment;"
9. Paragraph 4.15.3.1.f is changed from: "End User Manual (GFI), 3 each;" to: "Commercial Manuals, 1 per each piece of equipment;"
10. Paragraph 4.15.3.2.i is changed from: "End User Manual for portable bar code verifier (GFI);" to: "Commercial Manuals, 1 per each piece of equipment;"
11. Paragraph 4.15.3.3.e is changed from: "End User Manual (GFI);" to: "Commercial Manuals, 1 per each piece of equipment;"
12. Paragraph 4.15.3.4.l is changed from: "End User Manual for portable bar code verifier (GFI);" to: "Commercial Manuals, 1 per each piece of equipment;"
13. Paragraph 4.15.4.1.b is changed from: "End User Manual (GFI), 1 each;" to: "Commercial Manuals, 1 per each piece of equipment;"
14. Paragraph 8.1.3.k is changed from: "End User Manuals (GFI);" to: "RESERVED;"

D. The following replacement pages are attached for incorporation into the contract:

Part B-2:

Page 22

Page 23

Page 24

Page 25

Page 26

Page 27

Page 28

Changes are denoted by a bar (|) in the right margin.

Part D-1:

Page 49

Page 50

Page 51

Page 52

Page 53

Page 65

Changes are implemented in Microsoft Word using the highlight (but not strikethrough) technique as follows:

Under Tools, Options, Track Changes Tab:

Inserted text; Mark: Underline, Color: Blue

Changed lines; Mark: Right border, Color: Auto

E. As a result of this modification, there is no change in the total amount obligated under the contract.