

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE J	PAGE OF PAGES 1 6
2. AMENDMENT/MODIFICATION NO. P00016	3. EFFECTIVE DATE See Block 16C.	4. REQUISITION/PURCHASE REQ. NO. N/A	5. PROJECT NO. (If applicable) AIT-II		
6. ISSUED BY US Army CECOM Acquisition Center- Washington ATTN: AMSEL-AC-WA-C (G. McGee (703) 325-2927) 2461 Eisenhower Avenue Alexandria, Virginia 22331-0700 Fax: (703) 325-3351 e-mail: gmcgee@hoffman-issaa2.army.mil		7. ADMINISTERED BY (If other than Item 6) DCMC Long Island 605 Stewart Ave. Garden City, NY 11530-476	CODE W909MY	CODE S3309A	
8. NAME AND ADDRESS OF CONTRACTOR Symbol Technologies Inc. One Symbol Plaza Holtsville, New York 11742-1300 Margaret Fagan, Fax: (631) 738-4611				(✓)	9A. AMENDMENT OF SOLICITATION NO.
					9B. DATED (SEE ITEM 11)
				X	10A. MODIFICATION OF CONTRACT/ORDER NO. DAAB15-99-D-0015
					10B. DATED (SEE ITEM 13) 13 July 1999
CODE 64928	FACILITY CODE				

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning ___ copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATA SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and data specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

N/A

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.



(✓)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation data, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 49.103(b).
X	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1-1(h), Current Technology and Substitutions/Additions/Insertions

E. IMPORTANT: Contractor ___ is not, **X** is required to sign this document and return 1 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

See Pages 2 through 6.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print) MARGARET E. FAGAN, Contract Manager, (631) 738-5945 Symbol Technologies, Inc. email: fagan@symbol.com	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) GLORIA J. MCGEE, Contracting Officer (703) 325-2927 e-mail: gmcgee@hoffman-issaa2.army.mil
15B. CONTRACTOR/OFFEROR  (Signature of person authorized to sign)	15C. DATE SIGNED 9/28/00
16B. UNITED STATES OF AMERICA BY  (Signature of Contracting Officer)	16C. DATE SIGNED 28 Sep 2000

A. The purpose of this modification is to:

1. Incorporate Symbol Technologies Inc.'s Contract Change Proposal 0019 (CCP-0019), Proposal for Addition of PDCTs/Expanded Memory/GUI. The proposal adds Class A and Class B Terminals with expanded memory and a graphical user interface and associated maintenance to the contract in response to the Government requirement for PDCTs with these capabilities.

2. Correct Modification P00014 as follows:

Modification P00014 added Maintenance SLINs for the Medium Capability Bar Code Label with LCD & 8-inch Take-up Reel, but erroneously numbered these SLINs X034FA, X034FB, X034FC and X034FD. The correct SLINs numbers are X032FA, X032FB, X032FC and X032FD.

3. Correct Modification P00014 as follows:

Modification P00014 added CLIN X003DB to the contract and erroneously misspelled the word "capability" (sic) in the description. The correct spelling is "capability".

B. Section B, Supplies/Services, is hereby modified as follows:

The Sub-Contract Line Items Numbers (SLINs) are added in accordance with the table below.

SLIN	DESCRIPTION	UNIT OF ISSUE	Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. On Page 1 of this Part and Part C-1-1(e) for ordering periods.						
X001BA	PDT 7500 Class PDCT-A2X, Basic PDCT, Win CE 2.11, Ruggedized Batch Terminal with (2) Batteries, 16MB RAM, 16MB Flash Memory, 36 Key Keyboard, 1/8 VGA Resolution Screen with 240 x 160 resolution and integrated SE2200 2-D Scan Engine, Printer Cable and Quick reference Guide. SYMBOL PDT7500-R0X43C00, 21-38602-06, 25-38375-01	EA		1122	1080	1040	1002
X001CS	PDT 7540 Class PDCT-A2GX Spectrum 24 (2.45 GHz) RF PDCT, Win CE 2.11, Ruggedized RF Terminal with (2) Batteries, 16MB RAM, 16MB Flash Memory, 36 Key Keyboard, 1/8 VGA Resolution Screen with 240 x 160 resolution and integrated SE2200 2-D Scan Engine, Printer Cable and Quick reference Guide. SYMBOL PDT7540-R0X43CEU, 21-38602-06, 25-38375-01.	EA		1390	1340	1287	1237

X001DB	PDT 7200 Class PDCT-B3X Basic PDCT, Hand Held, Win CE 2.11, Ruggedized Batch Programmable PDCT with (2) Batteries, 16MB RAM, 16MB Flash Memory, Virtual Keyboard Designer, 1/4 VGA Resolution Screen with 320 x 240 resolution and integrated SE2200 2-D Scan Engine, Printer Cable and Quick reference Guide. SYMBOL PDT7200-R1140C00, 21-35464-01, 25-38375-01.	EA		1231	1183	1138	1095
X001FS	PDT 7240 Class PDCT-B3GX Spectrum 24 (2.45 GHz), Hand Held, Win CE 2.11, Ruggedized RF Programmable PDCT with (2) Batteries, 16MB RAM, 16MB Flash Memory, Virtual Keyboard Designer, 1/4 VGA Resolution Screen with 320 x 240 resolution and integrated SE2200 2-D Scan Engine, Printer Cable and Quick reference Guide. SYMBOL PDT72410-R1140CEU, 21-35464-01, 25-38375-01.	EA		1500	1439	1381	1326
X015BF	Software Development Kit for the PDCT-A Class includes all the necessary components to build Embedded Windows CE 32-bit applications. The SDK complements Microsoft's Embedded Visual Tools 3.0 with the Windows CE extensions and includes all of the required software components for 32-bit Unicode platforms. Additional components of this SDK include; Symbol Embedded Windows CE on-line help and component library source. Headers and library files as well as dynamic linked libraries (DLL) that install directly into Embedded Studio. Also our Symbol Terminal Configuration Manager (TCM) allows the developer to define and generate memory partition tables, download Windows CE platform specific configuration partitions (images) and download application partitions (images) which contain the end-user application, registry settings and dependent data. Symbol SW-42223-02	EA		71	71	71	71
X015BG	Software Development Kit for the PDCT-B Class includes all the necessary components to build Embedded Windows CE 32-bit applications. The SDK complements Microsoft's Embedded Visual Tools 3.0 with the Windows CE extensions and includes all of the required software components for 32-bit Unicode platforms. Additional components of this SDK include; Symbol Embedded Windows CE on-line help and component library source. Headers and library files as well as dynamic linked libraries (DLL) that install directly into Embedded Studio. Also our Symbol Terminal Configuration Manager (TCM) allows the developer to define and generate memory partition tables, download Windows CE platform specific configuration partitions (images) and download application partitions (images) which contain the end-user application, registry settings and dependent data. SW-42891-01	EA		71	71	71	71

The Maintenance Sub-Contract Line Items Numbers (SLINs) are added in accordance with the table below.

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. On Page 1 of this Part and Part C-1-1(e) for ordering periods.	UNIT OF ISSUE	Option Year 4 4XXX	Option Year 5 5XXX	Option Year 6 6XXX	Option Year 7 7XXX	Option Year 8 8XXX	Option Year 9 9XXX
	PDCT-A2X Basic PDCT w 16MB RAM, 16MB Flash Memory							
X028TA	CONUS - Mail-in/Carry-in	EA	102	90	79	70	63	56
X028TB	CONUS - Mail-in/Carry-in	MO	4	3	3	3	2	2
X028TC	OCONUS - Mail-in/Carry-in	EA	102	90	79	70	63	56
X028TD	OCONUS - Mail-in/Carry-in	MO	4	3	3	3	2	2
	PDCT-A2GX (2.4 to 2.5 Gigahertz) w 16MB RAM, 16MB Flash Memory							
X028UA	CONUS - Mail-in/Carry-in	EA	151	131	115	100	88	78
X028UB	CONUS - Mail-in/Carry-in	MO	5	5	4	4	3	3
X028UC	OCONUS - Mail-in/Carry-in	EA	151	131	115	100	88	78
X028UD	OCONUS - Mail-in/Carry-in	MO	5	5	4	4	3	3
	PDCT-B3X Hand-Held, Programmable PDCT w 16MB RAM, 16MB Flash Memory							
X028VA	CONUS - Mail-in/Carry-in	EA	109	96	84	75	66	60
X028VB	CONUS - Mail-in/Carry-in	MO	5	4	4	3	3	3
X028VC	OCONUS - Mail-in/Carry-in	EA	109	96	84	75	66	60
X028VD	OCONUS - Mail-in/Carry-in	MO	5	4	4	3	3	3
	PDCT- B3GX (2.4 to 2.5 Gigahertz) RF PDCT w 16MB RAM, 16MB Flash Memory							
X028WA	CONUS - Mail-in/Carry-in	EA	137	119	105	92	81	72
X028WB	CONUS - Mail-in/Carry-in	MO	6	5	5	4	4	3
X028WC	OCONUS - Mail-in/Carry-in	EA	137	119	105	92	81	72
X028WD	OCONUS - Mail-in/Carry-in	MO	6	5	5	4	4	3

C. Part D-1 is changed as follows:

1. Add paragraph 4.2.3.2:

4.2.3.2 PDCT-A2X, Basic PDCT, With Integral Scanner, Expanded Memory and Graphical User Interface.

The Contractor shall provide a Class A2 PDCT as described above with the following additional capabilities:

- a. A minimum of 16 Mbytes of RAM;
- b. A minimum of 16 Mbytes user programmable ROM for OS and application software;
- c. The same graphical user interface proposed to meet the requirements of the PDCT-C Class terminal.

The PCDT-A2X shall support all of the separately orderable components required for the PDCT-A2 terminal.

2. Add paragraph 4.2.4.2:

4.2.4.2 PDCT-A2GX (2.4 to 2.5 GHz) RF PDCT, With Integral Scanner, Expanded Memory and Graphical User Interface.

The Contractor shall provide a Class A2G PDCT as described above with the following additional capabilities:

- a. A minimum of 16 Mbytes of RAM;
- b. A minimum of 16 Mbytes user programmable ROM for OS and application software;
- c. The same graphical user interface proposed to meet the requirements of the PDCT-C Class terminal.

The PCDT-A2GX shall support all of the separately orderable components required for the PDCT-A2G terminal.

3. Add paragraph 4.3.6.2:

4.3.6.2 PDCT-B3X One-handed Operation, With Integral 2D Scanner, Expanded Memory and Graphical User Interface.

The Contractor shall provide a Class B3 PDCT as described above with the following additional capabilities:

- a. A minimum of 16 Mbytes of RAM;
- b. A minimum of 16 Mbytes user programmable ROM for OS and application software;
- c. The same graphical user interface proposed to meet the requirements of the PDCT-C Class terminal.

The PCDT-B3X shall support all of the separately orderable components required for the PDCT-B3 terminal.

4. Add paragraph 4.3.8.2:

4.3.8.2 PDCT-B3GX (2.4 to 2.5 GHz) RF, One-handed Operation, With Integral 2D Scanner, With Integral 2D Scanner, Expanded Memory and Graphical User Interface.

The Contractor shall provide a Class B3G PDCT as described above with the following additional capabilities:

- a. A minimum of 16 Mbytes of RAM;
- b. A minimum of 16 Mbytes user programmable ROM for OS and application software;
- c. The same graphical user interface proposed to meet the requirements of the PDCT-C Class terminal.

The PCDT-B3GX shall support all of the separately orderable components required for the PDCT-B3G terminal.

5. Add the following subparagraphs to paragraph 5.2:

- d. Software Development Kit for the PDCT-A Class for the Graphical User Interface Operating System;
- e. Software Development Kit for the PDCT-B Class for the Graphical User Interface Operating System.

6. Add the following subparagraphs to paragraph 5.3:

- d. Application Generation Software for PDCT-A Class for the Graphical User Interface Operating System and Windows 95®, Windows 98®, and Windows NT®;
- e. Application Generation Software for PDCT-B Class for the Graphical User Interface Operating System and Windows 95®, Windows 98®, and Windows NT®.

D. The following Contract sections are replaced in their entirety:

Part B-2

Part D-1

Changes in Microsoft Excel are denoted by a bar (|) in the right margin.

Changes in Microsoft Word are implemented using the highlight (but not strikethrough) technique as follows:

Under Tools, Options, Track Changes Tab:

Inserted text; Mark: Underline, Color: Blue

Changed lines; Mark: Right border, Color: Auto

Note: Starting with this modification and all future modifications, any revised contract sections will be issued as complete replacement sections rather than change pages.

E. As a result of this modification, there is no change in the total amount obligated under the contract.