

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE J	PAGE 1	OF PAGES 7
2. AMENDMENT/MODIFICATION NO. P00041	3. EFFECTIVE DATE Sec Block 16C.	4. REQUISITION/PURCHASE REQ NO. N/A.	5. PROJECT NO. (If applicable) AIT-II		
6. ISSUED BY US Army CECOM Acquisition Center- Washington ATTN: AMSEL-AC-WA-C (N. Tullis) (703) 325-3348 2461 Eisenhower Avenue Alexandria, Virginia 22331-0700 Fax: (703) 325-3351 e-mail: nancy.tullis@cacw.army.mil		7. ADMINISTERED BY (If other than Item 6) DCMC Long Island 605 Stewart Ave Garden City, NY 11530-476		CODE S3309A	
8. NAME AND ADDRESS OF CONTRACTOR Symbol Technologies Inc. One Symbol Plaza, MS-A39 Holtsville, New York 11742-1300 Margaret Fagan, Fax: (631) 738-4611			(<input checked="" type="checkbox"/>) 9A. AMENDMENT OF SOLICITATION NO.		
			9B. DATED (SEE ITEM 11)		
			X 10A. MODIFICATION OF CONTRACT/ORDER NO. DAAB15-99-D-0015		
				10B. DATED (SEE ITEM 13) 13 July 1999	
CODE 64928	FACILITY CODE				

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is: extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning ___ copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

N/A

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.


(<input checked="" type="checkbox"/>) A.	THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
B.	THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as: changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.109(b).
X C.	THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: FAR 52.212-4 (c) Changes and Part C-1-1(h) Current Technology Substitutions/Additions/Insertions

E. IMPORTANT: Contractor is not, X is required to sign this document and return 1 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

See Pages 2 through 7.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print) MARGARET E. FAGAN, Contract Manager, (631) 738-5945 Symbol Technologies, Inc. email: fagan@symbol.com	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) GLORIA J. McGEE, Contracting Officer (703) 325-2927 e-mail: gloria.mcgee@cacw.army.mil
15B. CONTRACTOR/OFFEROR  <i>(Signature of person authorized to sign)</i>	15C. DATE SIGNED 9/21/01
16B. UNITED STATES OF AMERICA BY  <i>(Signature of Contracting Officer)</i>	16C. DATE SIGNED 24 Sep 2001

A. The purpose of this modification is to:

1. Change part D-1 training descriptions to move instruction of operating system commands from the Instructor’s Course to the Software Developer’s Course.

2. Incorporate Symbol Technologies Inc.’s Contract Change Proposal 0050 (CCP-0050) to change the part numbers and dimensions of the empty transit cases in SLINs X0011NA, X0011NC, X0011NE, X0011NG, X0011NH, X0011NJ, X0011NK, X0011NL X0011NM, and X0011NN to conform with filled transit cases on the contract.

3. Administratively correct spelling and grammar errors in the SLIN description in part B-2 for SLINs X007BB and X015BH.

4. Incorporate Symbol Technologies Inc.’s Contract Change Proposal 0052 (CCP-0052) to correct the description in the Master CLIN List of SLIN X001RA from “SE900 1D Linear Scan Engine” to “SE2200 2D Scan Engine”.

5. Incorporate Symbol Technologies Inc.’s Contract Change Proposal 0053 (CCP-0053) to correct the description in the Master CLIN List of SLIN X003BA to delete reference to two batteries since this vehicle mounted label printer does not require batteries.

B. Section B, Supplies/Services, is hereby modified as follows:

2. The following SLIN’s are changed (**in bold face**) in accordance with the below:

FROM:

NOTE: The CLIN's are divided into ten series. The 0XXX series represents the Base Year CLIN's. Series 1XXX represents Option Year 1 CLIN's. Series 2XXX through 9XXX represent Option Years 2 through 9 CLIN's, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.				Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
SLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X011NA	Transit Case Only for the PDCT-B1, Transit Case Configuration. Dimensions; Inside: 22"x21"x11" & Outside: 25"x24"14" BMI 34SYMB1	1	EA	503	521	539	558	578
X011NC	Transit Case Only for the PDCT-B3GX2 , (2.45 Gigahertz) RF Transit Case Configuration. Dimensions; Inside: 22"x21"x11" & Outside: 25"x24"14" BMI 34SYMB3GX2	1	EA	503	521	539	558	578
X011NE	Transit Case Only for the PDCT-B3GX5 , (2.45 Gigahertz) RF Transit Case Configuration. Dimensions; Inside: 22"x21"x11" & Outside: 26"x25"15" BMI 34SYMB3GX5	1	EA	602	623	645	668	691
X011NG	Transit Case Only for the RF Access Point,, (2.45 Gigahertz) Transit Case Configuration. Dimensions; Inside: 22"x21"x11" & Outside: 25"x24"14" BMI 34SYM24AP	1	EA	503	521	539	558	578
X011NH	Transit Case Only for the Portable Bar Code , Label Printer Transit Case Configuration. Dimensions; Inside: 22"x21"x11" & Outside: 25"x24"14" BMI 34SYMPP01	1	EA	503	521	539	558	578

X011NJ	Transit Case Only for the Portable Bar Code Label, Printer Accessories Transit Case Configuration. Dimensions; Inside: 22"x21"x11" & Outside: 25"x24"14" BMI 34SYMPPA01	1	EA	503	521	539	558	578
X011NK	Transit Case Only for the Medium Capability, Bar Code Label Printer Transit Case Configuration. Dimensions; Inside: 22"x21"x16" & Outside: 26"x25"19" BMI 34SYMMCP01	1	EA	602	623	645	668	691
X011NL	Transit Case Only for the Medium Capability Bar Code , Label Printer Accessories Transit Case Configuration. Dimensions; Inside: 22"x21"x11" & Outside: 25"x24"14" BMI 34SYMMCPA01	1	EA	503	521	539	558	578
X011NM	Transit Case Only for the Optical Memory Card, Reader/Writer Transit Case Configuration. Dimensions; Inside: 22"x21"x11" & Outside: 25"x24"14" BMI 34OMC01	1	EA	503	521	539	558	578
X011NN	B1GZ Transit Case Only for Government Ad Hoc Configuration for the AIT-II Equipment. Dimension; Inside 22" X 21" X 11" & Outside:25.5" X 24.1" X 13.13" BMI 58-4000-066	1	EA	503	521	539	558	578

TO:

SLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
	NOTE: The CLIN's are divided into ten series. The 0XXX series represents the Base Year CLIN's. Series 1XXX represents Option Year 1 CLIN's. Series 2XXX through 9XXX represent Option Years 2 through 9 CLIN's, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
X011NA	Transit Case Only for the PDCT-B1, Transit Case Configuration. Dimensions; 27.75"x26.25"x17.34" SYMBOL 58-40000-050	1	EA	503	521	539	558	578
X011NC	Transit Case Only for the PDCT-B3GX2, (2.45 Gigahertz) RF Transit Case Configuration. Dimensions; 27.75"x26.25"x17.34" SYMBOL 58-40000-050	1	EA	503	521	539	558	578
X011NE	Transit Case Only for the PDCT-B3GX5, (2.45 Gigahertz) RF Transit Case Configuration. Dimensions; 37.25"X27.18"X19.44" SYMBOL 58-40000-052	1	EA	602	623	645	668	691
X011NG	Transit Case Only for the RF Access Point,, (2.45 Gigahertz) Transit Case Configuration. Dimensions; 25.50"X24.06"X11.94" SYMBOL 58-40000-054	1	EA	503	521	539	558	578
X011NH	Transit Case Only for the Portable Bar Code , Label Printer Transit Case Configuration. Dimensions; 25.00"X19.00"X19.19" SYMBOL 58-40000-055	1	EA	503	521	539	558	578
X011NJ	Transit Case Only for the Portable Bar Code Label, Printer Accessories Transit Case Configuration. Dimensions; 25.00"X19.00"X19.19" SYMBOL 58-40000-056	1	EA	503	521	539	558	578
X011NK	Transit Case Only for the Medium Capability, Bar Code Label Printer Transit Case Configuration. Dimensions; 25.00"X19.00"X19.19" SYMBOL 58-40000-051	1	EA	602	623	645	668	691
X011NL	Transit Case Only for the Medium Capability Bar Code , Label Printer Accessories Transit Case Configuration. Dimensions; 27.75"X26.25"X17.34" SYMBOL 58-40000-057	1	EA	503	521	539	558	578

X011NM	Transit Case Only for the Optical Memory Card, Reader/Writer Transit Case Configuration. Dimensions; 25.00"X19.00"X19.19" SYMBOL 58-4000-058	1	EA	503	521	539	558	578
X011NN	B1GZ Transit Case Only for Government Ad Hoc Configuration for the AIT-II Equipment. Dimension: 25.50"X24.06"X11.94" SYMBOL 58-4000-066	1	EA	503	521	539	558	578

3. The following SLIN's are changed (**in bold face**) in accordance with the below:

FROM:

	NOTE: The CLIN's are divided into ten series. The 0XXX series represents the Base Year CLIN's. Series 1XXX represents Option Year 1 CLIN's. Series 2XXX through 9XXX represent Option Years 2 through 9 CLIN's, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.				Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
SLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price	
X007BB	Spectrum24 Access Point (2.45 Gigahertz) with Power supply, line cord, (2) antenna assemblies, documentation and diskette, RJ45-RJ45 Ccommunication Cable. SYMBOL AP-3021-100-US, 50-24000-006, 23844-00-00, ML-2499-APA1-00, SW-20542-01, 58-40000-022, 61383-00-00	1	EA	985	887	798	718	647	
X015BH	NetVision Data Phone Software Developer Kit includes the tools to configure the NetVision Data Phone and to support the development of Web centric applications for the device. The Windows NT/95/98 Web Client simulation program, the Web server (ASP) sample application, and the Web Client Administrator Guide are provided to aid in developing Web-based applications. To configure the NetVision Phone/Data Phone, use the NetVision Phone/Data Phone Administration Tool for Windows NT/95/98, the NetVision Data Phone Product Reference Guide and and the NetVision Phone serial cable which are included.	1	EA		198	198	198	198	

TO:

	NOTE: The CLIN's are divided into ten series. The 0XXX series represents the Base Year CLIN's. Series 1XXX represents Option Year 1 CLIN's. Series 2XXX through 9XXX represent Option Years 2 through 9 CLIN's, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.				Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
SLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price	
X007BB	Spectrum24 Access Point (2.45 Gigahertz) with Power supply, line cord, (2) antenna assemblies, documentation and diskette, RJ45-RJ45 Communication Cable. SYMBOL AP-3021-100-US, 50-24000-006, 23844-00-00, ML-2499-APA1-00, SW-20542-01, 58-40000-022, 61383-00-00	1	EA	985	887	798	718	647	

X015BH	NetVision Data Phone Software Developer Kit includes the tools to configure the NetVision Data Phone and to support the development of Web centric applications for the device. The Windows NT/95/98 Web Client simulation program, the Web server (ASP) sample application, and the Web Client Administrator Guide are provided to aid in developing Web-based applications. To configure the NetVision Phone/Data Phone, use the NetVision Phone/Data Phone Administration Tool for Windows NT/95/98, the NetVision Data Phone Product Reference Guide and the NetVision Phone serial cable which are included.	1	EA		198	198	198	198
--------	---	---	----	--	-----	-----	-----	-----

4. The following SLIN's are changed (**in bold face**) in accordance with the below:

FROM:

	NOTE: The CLIN's are divided into ten series. The 0XXX series represents the Base Year CLIN's. Series 1XXX represents Option Year 1 CLIN's. Series 2XXX through 9XXX represent Option Years 2 through 9 CLIN's, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
SLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X001RA	PPT2700 Class PDCT-C2 Portable Batch, Palm-Sized AIT II Platform, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 16MB RAM Memory, 12 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine , carry case, printer cable, Mobile Builder Run Time and Quick Reference Guide. SYMBOL PPT2700-RRIW0E01, 20-36098-01, 25-38374-02, SW-38856-02, 72-39059-01. (Note: MS ActiveSynch 3.1 is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)	1	EA	837	897	852	810	769

TO:

	NOTE: The CLIN's are divided into ten series. The 0XXX series represents the Base Year CLIN's. Series 1XXX represents Option Year 1 CLIN's. Series 2XXX through 9XXX represent Option Years 2 through 9 CLIN's, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
SLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X001RA	PPT2700 Class PDCT-C2 Portable Batch, Palm-Sized AIT II Platform, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 16MB RAM Memory, 12 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE2200 2D Scan Engine , carry case, printer cable, Mobile Builder Run Time and Quick Reference Guide. SYMBOL PPT2700-RRIW0E01, 20-36098-01, 25-38374-02, SW-38856-02, 72-39059-01. (Note: MS ActiveSynch 3.1 is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)	1	EA	837	897	852	810	769

5. The following SLIN's are changed (**in bold face**) in accordance with the below:

FROM:

NOTE: The CLIN's are divided into ten series. The 0XXX series represents the Base Year CLIN's. Series 1XXX represents Option Year 1 CLIN's. Series 2XXX through 9XXX represent Option Years 2 through 9 CLIN's, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.				Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
SLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X003BA	Portable Vehicle-Mounted Bar Code Label Printer. PT400 Series (203 dots per inch, 2 inches per second, 4.1" Print Width, Rugged Portable Thermal Transfer Printer) includes (2) Batteries, (2) Printer Ribbons, (1) Roll Labels, Interface Cable and Operator Maintenance Kit and Vehicle Mounting Kit. ZEBRA PT471-050-00900	1	EA	775	802	802	802	802

TO:

NOTE: The CLIN's are divided into ten series. The 0XXX series represents the Base Year CLIN's. Series 1XXX represents Option Year 1 CLIN's. Series 2XXX through 9XXX represent Option Years 2 through 9 CLIN's, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.				Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
SLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X003BA	Portable Vehicle-Mounted Bar Code Label Printer. PT400 Series (203 dots per inch, 2 inches per second, 4.1" Print Width, Rugged Portable Thermal Transfer Printer) includes (2) Printer Ribbons, (1) Roll Labels, Interface Cable and Operator Maintenance Kit and Vehicle Mounting Kit. ZEBRA PT471-050-00900	1	EA	775	802	802	802	802

C. Section D-1, Statement of Work and Specifications, is hereby modified as follows:

1. Paragraphs 12.2.5.1 and 12.2.5.2 have been changed follows (**changes shown in bold face**) to read as:

12.2.5.1 Instructor Training Course.

The Instructor Training Course shall provide instructor training for Government AIT II instructor personnel and shall be interactive with AIT II equipment. A minimum of 75 percent of the training shall be hands-on. The Course shall prepare Government AIT-II instructor personnel to teach all tasks selected as a result of the Contractor's training material submitted and approved during the Training Integration Meetings. The overall Course length shall not exceed five days, and classroom periods shall be limited to eight hours per day. The Course shall include, but not be limited to the following tasks:

- a. AIT II equipment configuration groups overview;
- b. AIT II equipment power-up and power-down procedures
- c. Initial program loading;
- d. Use of AIT II features, including communications;
- e. AIT II equipment configuration set-up and tear-down;
- f. Uploading and downloading the PDCTs and FDCTs;
- g. Interfaces among the PDCTs, FDCTs, host computers, wireless networks, and printers;
- h. Preventive maintenance checks and services;
- i. User-level diagnostics, problem solving, troubleshooting, and repairs;
- j. Distribution of fixes and new software releases;
- k. Security features.

12.2.5.2 Software Developers Course.

The Contractor shall provide a Software Developers Course. This Course shall provide instruction in the use of the Contractor-provided software development kits for the PDCTs, Windows 95®, Windows 98®, and Windows NT®. This Course shall include the characteristics and principles of operating systems, **operating systems commands including tailoring and generation**, communications, data structures, queues, software interfaces, internal tables, communications-processing protocols, and the development of unique software application programs. The Course shall teach all tasks selected as a result of the Contractor's training material submitted and approved during the Training Integration Meetings. The overall Course length shall not exceed five days, and classroom periods shall be limited to eight hours per day.

D. The following Contract sections, dated 13 Sep 2001, for administrative purposes, are replaced in their entirety:

Part B-2.

Part D-1.

Changes in Microsoft Excel are denoted by a bar (|) in the right.

Changes in Microsoft Word are implemented using the highlight (but not strikethrough) technique as follows:

Under Tools, Options, Track Changes Tab:

Inserted text; Mark: Underline, Color: Auto

Changed lines; Mark: Right border, Color: Auto

E. As a result of this modification, there is no change in the total amount obligated under the contract.