

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT ID CODE J PAGE 1 OF 4 PAGES

2. AMENDMENT/MODIFICATION NO. P00091 3. EFFECTIVE DATE See Block 16C. 4. REQUISITION/PURCHASE REQ. NO. N/A 5. PROJECT NO. (If applicable) AIT-II

6. ISSUED BY US Army Information Technology, E-Commerce and Commercial Contracting Center, ATIN: SFCA-IT (J Spaulding)(703)325-8727 2461 Eisenhower Avenue Alexandria, Virginia 22331-1700 Fax: (703) 428-1660 e-mail: Janet.spaulding@itec4.army.mil CODE W91OUZ 7. ADMINISTERED BY (If other than Item 6) DCMC Long Island 605 Stewart Ave. Garden City, NY 11530-476 CODE S3309A

8. NAME AND ADDRESS OF CONTRACTOR Symbol Technologies Inc. One Symbol Plaza, MS-A39 Holtsville, New York 11742-1300 Margaret Fagan, Fax: (631) 738-4611 CODE 64928 FACILITY CODE (4) 9A. AMENDMENT OF SOLICITATION NO. 9B. DATED (SEE ITEM 11) 10A. MODIFICATION OF CONTRACT/ORDER NO. X DAAB15-99-D-0015 10B. DATED (SEE ITEM 11) 13 July 1999

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is [] extended, [] is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended; by one of the following methods: (a) By completing Items 8 and 15, and returning ___ copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATA SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required) N/A

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(4) A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A. B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation data, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b). X C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1-1(h). Current Technology and Substitutions/Additions/Insertions D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor [] is not, [X] is required to sign this document and return 1 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

See Pages 2 - 4.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print) MARGARET E. FAGAN, Contract Manager, (631) 738-5945 Symbol Technologies, Inc. email: fagan@symbol.com 15B. CONTRACTOR/OFFEROR 15C. DATE SIGNED 6/17/2003 16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) GLORIA J. MCGEE, Contracting Officer (703) 325-2927 e-mail: gloria.mcgee@itec4.army.mil 16B. UNITED STATES OF AMERICA BY Gloria J. McGee (Signature of Contracting Officer) 16C. DATE SIGNED 19 Jun 03

A. The purpose of this modification is:

To incorporate CCP-0118, Product deletion of PDCT-C1, C2 and C2G due to product obsolescence.

B. Section B, Master CLIN/SLIN List, is hereby modified as follows:

1. The following SLINs are deleted from the contract:

FROM:

				Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.							
X001QA	PPT2700 Class PDCT-C1 Portable Batch, Palm-Sized AIT II Platform, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 16MB RAM Memory, 12 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, printer cable, Mobile Builder Run Time and Quick Reference Guide. SYMBOL PPT2700-ZRTW0E01, (2 QTY) 21-52319-01, 25-38374-02, SW-38856-02, 72-39059-01. (Note: MS ActiveSynch 3.1 is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)	1	EA	762	817	776	737	700
X001RA	PPT2700 Class PDCT-C2 Portable Batch, Palm-Sized AIT II Platform, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 16MB RAM Memory, 12 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE2200 2D Scan Engine, carry case, printer cable, Mobile Builder Run Time and Quick Reference Guide. SYMBOL PPT2700-RRTW0E01, (2 QTY) 21-52319-01, 25-38374-02, SW-38856-02, 72-39059-01. (Note: MS ActiveSynch 3.1 is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)	1	EA	837	897	852	810	769
X001SA	PPT2742 Class PDCT-C2G Spectrum24 (2.45 Gigahertz) RF PDCT, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 16MB RAM Memory, 12 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and Integrated SE2200 2D Scan Engine, printer cable, Mobile Builder Run Time and Quick Reference Guide. SYMBOL PPT2742-RRTW1E01, (2 QTY) 21-52319-01, 25-38374-02, SW-38856-02, 72-39059-01. (Note: MS ActiveSynch 3.1 is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)	1	EA	1034	1108	1053	1000	950

TO:

				Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.							
X001QA	Reserved							
X001RA	Reserved							
X001SA	Reserved							

C. Part D-1, Specification and Statement of Work, is modified as follows:

~~4.4.2 PDCT C1 Palm Sized AIT II Platform:~~

~~The Contractor shall provide a ruggedized, palm-sized PDCT, with either an integral linear bar code scanner, or an interface to provided linear bar code scanners that read the linear bar code symbologies listed in the paragraph entitled "Bar Code Symbologies".~~

~~4.4.2.1 Separately Orderable Components.~~

~~The Contractor shall provide the following Separately Orderable Components for the PDCT C1:~~

- ~~a. AC Adapter;~~
- ~~b. Communication Docking Station/Battery Charger;~~
- ~~c. PDCT Carrying Case;~~
- ~~d. Multiple Battery Charger;~~
- ~~e. Rechargeable Battery;~~
- ~~f. Memory Upgrade to 16 Mbytes RAM, unless the basic PDCT C1 is provided with at least 16 Mbytes RAM.~~

4.4.3 PDCT-C2 AND C2A, Portable Hand-held AIT II Platform, With Integral 2D Scanner. The Contractor shall provide a ruggedized, programmable PDCT, with an integral 2D bar code scanner. The integral 2D bar code scanner of the PDCT-C2 and C2A shall scan low to high density linear bar codes listed in the paragraph entitled "Bar Code Symbologies", as well as the 2D symbology PDF 417. The integral 2D bar code scanner shall have a depth of field of at least 4 inches for low and medium density bar codes and 2 inches for high density bar codes (These are not minimum read distances) and shall be capable of reading a minimum print quality of grade C bar codes in accordance with ANSI ASCX3.182-1990 (R1995). The PDCT-C2 and C2A shall provide support for at least one user-accessible Type II PCMCIA PC Card slot.

4.4.3.1 Separately Orderable Components.

The Contractor shall provide the following Separately Orderable Components for the PDCT-C2 and C2A:

- a. Keyboard (if not integral to the PDCT);
- b. AC Adapter;
- c. Communication Docking Station/Battery Charger;
- d. PDCT Carrying Case;
- e. PDCT Holster, Right-handed, with adjustable straps or clips for belt attachment;
- f. PDCT Holster, Left-handed, with adjustable straps or clips for belt attachment;
- g. Shoulder Strap to fit PDCT Holster or Carrying Case;
- h. Multiple Battery Charger;
- i. Rechargeable Battery;
- j. Memory Upgrade to 16 Mbytes RAM, unless the basic PDCT-C2 and C2A is provided with 16 Mbytes RAM.

4.4.4 ~~PDCT-C2G~~, C2AGX and C2AGDX (2.4 to 2.5 GHz) RF PDCT, With Integral 2D Scanner.

The Contractor shall provide a ruggedized, programmable PDCT with an integral 2D bar code scanner. The integral 2D bar code scanner of the PDCT-~~C2G~~, C2AGX and C2AGDX shall scan low to high density linear bar codes listed in the paragraph entitled "Bar Code Symbologies", as well as the 2D symbology PDF 417. The integral 2D bar code scanner shall have a depth of field of at least 4 inches for low and medium density bar codes and 2 inches for high density bar codes (These are not minimum read distances) and shall be capable of reading a minimum print quality of grade C bar codes in accordance with ANSI ASCX3.182-1990 (R1995). The PDCT-~~C2G~~, C2AGX and C2AGDX shall incorporate 2.4 to 2.5 GHz (IEEE 802.11 and 802.11b conformant) spread spectrum RF communications as in integral feature, or by use of a PC Card device.

4.4.4.1 Separately Orderable Components.

The Contractor shall provide the following Separately Orderable Components for the PDCT-~~C2G~~, C2AGX and C2AGDX:

- a. Keyboard (if not integral to the PDCT);
- b. AC Adapter;
- c. Communication Docking Station/Battery Charger;
- d. PDCT Carrying Case;
- e. PDCT Holster, Right-handed, with adjustable straps or clips for belt attachment;
- f. PDCT Holster, Left-handed, with adjustable straps or clips for belt attachment;
- g. Shoulder Strap to fit PDCT Holster or Carrying Case;
- h. Multiple Battery Charger;
- i. Rechargeable Battery;

Memory Upgrade to 16 Mbytes RAM, unless the basic PDCT-C2G, C2AGX and C2AGDX is provided with 16 Mbytes RAM.

D. The following contract parts are replaced in their entirety and dated 13 June 2003 for administrative purposes: Contract Part B-2. Changes in Microsoft Excel are denoted by a bar (|) in the right margin.

The changes to Part D-1 will be issued in a later modification.

E. As a result of this modification, there is no change in the total amount obligated under the contract.