

OMB Approval 2700-0042

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			I. CONTRACT ID CODE J	PAGE OF PAGES 1 4
2. AMENDMENT/MODIFICATION NO. P00103	3. EFFECTIVE DATE See Block 16C.	4. REQUISITION/PURCHASE REQ. NO. N/A	5. PROJECT NO. (If applicable) AIT-II	
6. ISSUED BY US Army Information Technology, E-Commerce and Commercial Contracting Center, ATTN: SFCA-IT (J Spaulding)(703)325-8727 2461 Eisenhower Avenue Alexandria, Virginia 22331-1700 Fax: (703) 428-1660 e-mail: Janet.spaulding@itec4.army.mil	CODE W91OUZ	7. ADMINISTERED BY (If other than Item 6) DCMC Long Island 605 Stewart Ave. Garden City, NY 11530-476		CODE S3309A
8. NAME AND ADDRESS OF CONTRACTOR Symbol Technologies Inc. One Symbol Plaza, MS-A39 Holtsville, New York 11742-1300 Margaret Fagan, Fax: (631) 738-4611			(4)	9A. AMENDMENT OF SOLICITATION NO.
				9B. DATED (SEE ITEM 11)
			X	10A. MODIFICATION OF CONTRACT/ORDER NO. DAAB15-99-D-0015
CODE 64928 FACILITY CODE				10B. DATED (SEE ITEM 11) 13 July 1999

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning ___ copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

N/A

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.



(4)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(D).
X	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1-1(h). Current Technology and Substitutions/Additions/Insertions.
	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return 1 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

See Pages 2 - 4.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print) MARGARET E. FAGAN, Contract Manager, (631) 738-5945 Symbol Technologies, Inc. email: fagan@symbol.com	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) GLORIA J. McGEE, Contracting Officer (703) 325-2927 e-mail: gloria.mcgee@itec4.army.mil
15B. CONTRACTOR/OFFEROR  <i>(Signature of person authorized to sign)</i>	16B. UNITED STATES OF AMERICA BY  <i>(Signature of Contracting Officer)</i>
15C. DATE SIGNED 8/19/2003	16C. DATE SIGNED 20 Aug 03

A. The purpose of this modification is:

To incorporate CCP 0137, enhancing descriptions for Barcode Label Printer labels.

B. Part B-2, Master CLIN/SLIN List, is hereby modified as follows with changes in **Bold**:

FROM:

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
CLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X003	BAR CODE LABEL PRINTERS							
X003AA	Portable Bar Code Label Printer. PT400 Series (203 dots per inch, 2 inches per second, 4.1" Print Width, Rugged Portable Thermal Transfer Printer, includes (2) Batteries, (2) Printer Ribbons, (1) Roll Labels and a Operator Maintenance Kit. ZEBRA PT-471-700-10000	1	EA	660	688	688	688	688
X003AL	Portable Bar Code Label Printer. PT400 Series (203 dots per inch, 2 inches per second, 2MB RAM, 4.1" Print Width, Rugged Portable Thermal Transfer Printer) includes (2) Batteries, (2) Printer Ribbons, (1) Roll Labels and a Operator Maintenance Kit. ZEBRA PT473-000-10000	1	EA		926	926	926	926
X003BA	Portable Vehicle-Mounted Bar Code Label Printer. PT400 Series (203 dots per inch, 2 inches per second, 4.1" Print Width, Rugged Portable Thermal Transfer Printer) includes (2) Printer Ribbons, (1) Roll Labels, Interface Cable and Operator Maintenance Kit and Vehicle Mounting Kit. ZEBRA PT471-050-00900	1	EA	775	802	802	802	802
X003CA	Basic Capability Bar Code Label Printer S-600 SERIES. 203 dots per inch, 6 inches per second, 32 Bit Processor, 4.09" Print Width, Durable, Lightweight Thermal Transfer Printer, (1) Roll Plastic Stock (2) Printer Ribbons and Interface Cable. ZEBRA S671-101-00000	1	EA				910	910
X003DA	Medium Capability Bar Code Label Printer - Z-4M (203 dots per inch, 10 inches per second, 32 Bit RISC Microprocessor, 4.09" Print Width, Rugged Thermal Transfer Printer, Back-Lit LCD, (1) Roll Plastic Stock (2) Printer Ribbons and Interface Cable. ZEBRA Z4M71-0001-0000	1	EA	1249	1313	1258	1203	1176
X003DB	Medium Capability Bar Code Label Printer - Z-4M (203 dots per inch, 10 inches per second, 32 Bit RISC Microprocessor, 4.09" Print Width, Rugged Thermal Transfer Printer, Back-Lit LCD. Includes installed rewind and reel combination-internally rewinds printed labels, (1) Roll Plastic Stock (2) Printer Ribbons and Interface Cable. ZEBRA Z4M71-0011-2001	1	EA		1844	1772	1701	1657
X003EA	High Capability Bar Code Label Printer - Z-6M SERIES (300 dots per inch, 6 inch per second, 32 Bit RISC Microprocessor, 6.6" Print Width, Thermal Transfer Printer), LCD Display, (1) Roll Plastic Stock (2) Printer Ribbons and Interface Cable. ZEBRA Z6M71-1011-0000	1	EA	1891	1973	1918	1863	1808
X003EB	High Capability Bar Code Label Printer - Z6M SERIES (203 dots per inch, 6 inch per second, 32 Bit RISC Microprocessor, 6.6" Print Width, Thermal Transfer Printer, LCD Display), (1) Roll Plastic Stock (2) Printer Ribbons and Interface Cable. ZEBRA Z6M71-0011-0000	1	EA			1388	1388	1388
X003EK	High Capability Bar Code Label Printer - Z6M Series (300 dots per inch, 6 inches per second, 32-Bit RISC Microprocessor, 6.6" Print Width, Rugged Thermal Transfer Printer), deluxe Liquid Crystal Display (LCD) front panel: back lit, 2-line, 16 characters w/full menu to change set-up options. Includes installed rewind and reel combination-internally rewinds printed labels. Also included is one (1) roll of Plastic Label Stock, two (2) Printer Ribbons and one (1) Interface Cable. ZEBRA Z6M71-1011-5000	1	EA			2218	2218	2218

X003EL	High Capability Bar Code Label Printer - Z6M Series (203 dots per inch, 6 inches per second, 32-Bit RISC Microprocessor, 6.6" Print Width, Rugged Thermal Transfer Printer), deluxe Liquid Crystal Display (LCD) front panel: back lit, 2-line, 16 characters w/full menu to change set-up options. Includes installed rewind and reel combination-internally rewinds printed labels. Also included is one (1) roll of Plastic Label Stock, two (2) Printer Ribbons and one (1) Interface Cable. ZEBRA Z6M71-0011-5000	1	EA			2032	2032	2032
--------	--	---	----	--	--	------	------	------

TO:

CLIN	DESCRIPTION	QTY	Unit	Unit Price				
	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.							
X003	BAR CODE LABEL PRINTERS							
X003AA	Portable Bar Code Label Printer. PT400 Series (203 dots per inch, 2 inches per second, 4.1" Print Width, Rugged Portable Thermal Transfer Printer, includes (2) Batteries, (2) Printer Ribbons, (1) Roll Labels (4" Wide X 6" Long) and a Operator Maintenance Kit. ZEBRA PT-471-700-10000	1	EA	660	688	688	688	688
X003AL	Portable Bar Code Label Printer. PT400 Series (203 dots per inch, 2 inches per second, 2MB RAM, 4.1" Print Width, Rugged Portable Thermal Transfer Printer) includes (2) Batteries, (2) Printer Ribbons, (1) Roll Labels (4" Wide X 6" Long) and a Operator Maintenance Kit. ZEBRA PT473-000-10000	1	EA		926	926	926	926
X003BA	Portable Vehicle-Mounted Bar Code Label Printer. PT400 Series (203 dots per inch, 2 inches per second, 4.1" Print Width, Rugged Portable Thermal Transfer Printer) includes (2) Printer Ribbons, (1) Roll Labels (4" Wide X 6" Long), Interface Cable and Operator Maintenance Kit and Vehicle Mounting Kit. ZEBRA PT471-050-00900	1	EA	775	802	802	802	802
X003CA	Basic Capability Bar Code Label Printer S-600 SERIES. 203 dots per inch, 6 inches per second, 32 Bit Processor, 4.09" Print Width, Durable, Lightweight Thermal Transfer Printer, (1) Roll Plastic Stock (2" Wide X 4" Long) (2) Printer Ribbons and Interface Cable. ZEBRA S671-101-00000	1	EA				910	910
X003DA	Medium Capability Bar Code Label Printer - Z-4M (203 dots per inch, 10 inches per second, 32 Bit RISC Microprocessor, 4.09" Print Width, Rugged Thermal Transfer Printer, Back-Lit LCD, (1) Roll Plastic Stock (4" Wide X 6" Long) (2) Printer Ribbons and Interface Cable. ZEBRA Z4M71-0001-0000	1	EA	1249	1313	1258	1203	1176
X003DB	Medium Capability Bar Code Label Printer - Z-4M (203 dots per inch, 10 inches per second, 32 Bit RISC Microprocessor, 4.09" Print Width, Rugged Thermal Transfer Printer, Back-Lit LCD. Includes installed rewind and reel combination-internally rewinds printed labels, (1) Roll P2lastic Stock (4" Wide X 6" Long) (2) Printer Ribbons and Interface Cable. ZEBRA Z4M71-0011-2001	1	EA		1844	1772	1701	1657
X003EA	High Capability Bar Code Label Printer - Z-6M SERIES (300 dots per inch, 6 inch per second, 32 Bit RISC Microprocessor, 6.6" Print Width, Thermal Transfer Printer), LCD Display, (1) Roll Plastic Stock (4" Wide X 6" Long) (2) Printer Ribbons and Interface Cable. ZEBRA Z6M71-1011-0000	1	EA	1891	1973	1918	1863	1808
X003EB	High Capability Bar Code Label Printer - Z6M SERIES (203 dots per inch, 6 inch per second, 32 Bit RISC Microprocessor, 6.6" Print Width, Thermal Transfer Printer, LCD Display), (1) Roll Plastic Stock (4" Wide X 6" Long) (2) Printer Ribbons and Interface Cable. ZEBRA Z6M71-0011-0000	1	EA			1388	1388	1388
X003EK	High Capability Bar Code Label Printer - Z6M Series (300 dots per inch, 6 inches per second, 32-Bit RISC Microprocessor, 6.6" Print Width, Rugged Thermal Transfer Printer), deluxe Liquid Crystal Display (LCD) front panel: back lit, 2-line, 16 characters w/full menu to change set-up options. Includes installed rewind and reel combination-internally rewinds printed labels. Also included is one (1) roll of Plastic Label Stock (4" Wide X 6" Long), two (2) Printer Ribbons and one (1) Interface Cable. ZEBRA Z6M71-1011-5000	1	EA			2218	2218	2218
X003EL	High Capability Bar Code Label Printer - Z6M Series (203 dots per inch, 6 inches per second, 32-Bit RISC Microprocessor, 6.6" Print Width, Rugged Thermal Transfer Printer), deluxe Liquid Crystal Display (LCD) front panel: back lit, 2-line, 16 characters w/full menu to change set-up options. Includes installed rewind and reel combination-internally rewinds printed labels. Also included is one (1) roll of Plastic Label Stock (4" Wide X 6" Long), two (2) Printer Ribbons and one (1) Interface Cable. ZEBRA Z6M71-0011-5000	1	EA			2032	2032	2032

C. The following contract parts are replaced in their entirety and dated 29 July 2003 for administrative purposes: Contract Part B-2. Changes in Microsoft Excel are denoted by a bar (|) in the right margin.

D. As a result of this modification, there is no change in the total amount obligated under the contract.