

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>		1. CONTRACT ID CODE <b>J</b>	PAGE OF PAGES <b>1 5</b>
2. AMENDMENT/MODIFICATION NO. <b>P00102</b>	3. EFFECTIVE DATE <b>See Block 16C.</b>	4. REQUISITION/PURCHASE REQ. NO. <b>N/A</b>	5. PROJECT NO. (If applicable) <b>AIT-II</b>
6. ISSUED BY <b>US Army Information Technology, E-Commerce and Commercial Contracting Center, ATTN: SFCA-IT (J Spaulding)(703)325-8727 2461 Eisenhower Avenue Alexandria, Virginia 22331-1700 Fax: (703) 428-1660 e-mail: Janet.spaulding@itec4.army.mil</b>		7. ADMINISTERED BY (If other than Item 6) <b>DCMC Long Island 605 Stewart Ave. Garden City, NY 11530-476</b>	CODE <b>S3309A</b>
8. NAME AND ADDRESS OF CONTRACTOR  <b>Symbol Technologies Inc. One Symbol Plaza, MS-A39 Holtsville, New York 11742-1300</b>  <b>Margaret Fagan, Fax: (631) 738-4611</b>		(4) 9A. AMENDMENT OF SOLICITATION NO.	9B. DATED (SEE ITEM 11)
CODE <b>64928</b>	FACILITY CODE	X 10A. MODIFICATION OF CONTRACT/ORDER NO. <b>DAAB15-99-D-0015</b>	10B. DATED (SEE ITEM 12) <b>13 July 1999</b>

**11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS**

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is  extended,  is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning \_\_\_ copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATA SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and data specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

N/A

**13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**



(4) A.	THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
B.	THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
X C.	THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: <b>Part C-1-1(h). Current Technology and Substitutions/Additions/Insertions.</b>
D.	OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor  is not,  is required to sign this document and return 1 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

See Pages 2 - 5.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print) <b>MARGARET E. FAGAN, Contract Manager, (631) 738-5945 Symbol Technologies, Inc. email: fagan@symbol.com</b>	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) <b>GLORIA J. MCGEE, Contracting Officer (703) 325-2927 e-mail: gloria.mcgee@itec4.army.mil</b>
15B. CONTRACTOR/OFFEROR  (Signature of person authorized to sign)	15C. DATE SIGNED <b>8/19/2003</b>
15B. CONTRACTOR/OFFEROR	16B. UNITED STATES OF AMERICA BY  (Signature of Contracting Officer)
	16C. DATE SIGNED <b>20 Aug 03</b>

A. The purpose of this modification is:

1. Incorporate CCP 0134, quick reference guide part number change in CLIN X002FA.
2. Incorporate CCP 0136, product addition of a PDT8100, PDCT-F2IX.
3. Realign numbering of Paragraphs 4.18.1.1, and 4.18.1.2 done in P00083 to conform with contract format.

B. Part B-2, Master CLIN/SLIN List, is hereby modified as follows with changes in **Bold**:

CCP 0136

ADD:

				Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
CLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
	<p><b>NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.</b></p>							
X001YB	<p>PDT 8100 Class PDCT-F2IX, X-Scale Processor, batch, monochrome Imaging, color display, Pocket PC, 37 Key, Ruggedized Programmable PDCT with 64MB RAM Memory, 64MB ROM, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated imager scan engine, (2) Batteries, printer cable, Quick Reference Guide.  SYMBOL PDT8146-J4BA3000, 21-58234-01 (2), CBL-8100-150-ZEB</p> <p>(Note: MS ActiveSynch 3.1 or later is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)</p> <p>(Note: The latest PDT8100 Software Development Kit (SDK), software drivers, firmware &amp; product documentation may be downloaded free of charge at the following Symbol Technologies website:  <a href="http://software.symbol.com/devzone/index.cfm">http://software.symbol.com/devzone/index.cfm</a>.</p> <p>(Note: This 8100 Family employs the Intel X-Scale processor. Presently there is no AIT II application generation (ADK) software available for this processor or device.</p>	1	EA					1850

FROM:

				Option Year 6 6XXX	Option Year 7 7XXX	Option Year 8 8XXX	Option Year 9 9XXX
	<p>PDT-F2X 8100, 47 Key, monochrome  PDT-F2GDX 8146, (2.45 Gigahertz), 2D, 37 &amp; 47 Key, monochrome  PDT-F2IGDX 8146, (2.45 Gigahertz), mono Imager, color, 37 key, monochrome</p>						
X029YA	CONUS - Mail-in/Carry-in	1	EA	170	175	181	186
X029YB	CONUS - Mail-in/Carry-in	1	MO	6	6	7	7
X029YC	OCONUS - Mail-in/Carry-in	1	EA	170	175	181	186
X029YD	OCONUS - Mail-in/Carry-in	1	MO	6	6	7	7

TO:

	PDT-F2X 8100, 47 Key, monochrome						
--	----------------------------------	--	--	--	--	--	--

	PDT-F2GDX 8146, (2.45 Gigahertz), 2D, 37 & 47 Key, monochrome <b>PDT-F2IX 8100, batch, mono Imager, color, 37 key</b> PDT-F2IGDX 8146, (2.45 Gigahertz), mono Imager, color, 37 key, <b>monochrome</b>							
X029YA	CONUS - Mail-in/Carry-in	1	EA	170	175	181	186	
X029YB	CONUS - Mail-in/Carry-in	1	MO	6	6	7	7	
X029YC	OCONUS - Mail-in/Carry-in	1	EA	170	175	181	186	
X029YD	OCONUS - Mail-in/Carry-in	1	MO	6	6	7	7	

CCP 0134

FROM:

	<b>NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.</b>			<b>Base Year 0XXX</b>	<b>Option Year 1 1XXX</b>	<b>Option Year 2 2XXX</b>	<b>Option Year 3 3XXX</b>	<b>Option Year 4 4XXX</b>
<b>CLIN</b>	<b>DESCRIPTION</b>	<b>QTY</b>	<b>Unit</b>	<b>Unit Price</b>	<b>Unit Price</b>	<b>Unit Price</b>	<b>Unit Price</b>	<b>Unit Price</b>
X002FA	Non-Contact, Hand-Held, Bar Code Imaging Device; Symbol Hand Held Imager including imager and Integral Cable, PDCT & FDCT interface cables, Product Reference Guide and Quick Reference Guide. SYMBOL P304IMG-HD-I000, 25-41312-01, 25-38367-01, 72-40805-01	1	EA	626	595	565	537	510

TO:

	<b>NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.</b>			<b>Base Year 0XXX</b>	<b>Option Year 1 1XXX</b>	<b>Option Year 2 2XXX</b>	<b>Option Year 3 3XXX</b>	<b>Option Year 4 4XXX</b>
<b>CLIN</b>	<b>DESCRIPTION</b>	<b>QTY</b>	<b>Unit</b>	<b>Unit Price</b>	<b>Unit Price</b>	<b>Unit Price</b>	<b>Unit Price</b>	<b>Unit Price</b>
X002FA	Non-Contact, Hand-Held, Bar Code Imaging Device; Symbol Hand Held Imager including imager and Integral Cable, PDCT & FDCT interface cables, Product Reference Guide and Quick Reference Guide. SYMBOL P304IMG-HD-I000, 25-41312-01, 25-38367-01, <b>72-40805-02</b>	1	EA	626	595	565	537	510

C. Part D-1, Statement of Work and Specifications, is modified as follows

**ADD:**

**4.18.6 PDCT-F2IX, WITH INTEGRAL IMAGING SCANNER.**

The Contractor shall provide a ruggedized, programmable PDCT with an integral imaging scan engine. The integral imager of the PDCT-F2IX shall be capable of scanning bar codes printed with thermal, thermal transfer, dot matrix, ink jet, and laser technologies, as well as bar codes printed on colored substrates that meet the print-contrast-signal requirements.

**Minimum Requirements.**

The Contractor shall provide an imaging device that:

- a. Reads the bar codes and densities specified for each device, and has a depth of field of at least 4 inches for low and medium density bar codes, 2 inches for high density bar codes, and 0.5 inches for ultra-high density and 2D bar codes (These are not minimum read distances);
- b. Are capable of reading a minimum print quality of grade C bar codes in accordance with ANSI ASCX3.182-1990(R1995);
- c. Are usable in bright, sunlit conditions.

#### **4.18.6.1 Separately Orderable Components.**

The Contractor shall provide the following Separately Orderable Components for the PDCT-F2IX

- a. Communication Docking Station/Battery Charger;
- b. Multiple Battery Charger;
- d. Rechargeable Battery.

Change Part D-1, Statement of Work and Specifications, (changes in **Bold** font)

FROM:

**4.18.1.1 PDCT-F1CX, COLOR PDCT, WITH INTEGRAL 1D SCANNER.**

The Contractor shall provide a ruggedized, programmable PDCT with an integral 1D linear bar code scanner. The integral 1D bar code scanner of the PDCT-F1CX shall scan low to high-density linear bar codes listed in the paragraph entitled "Bar Code Symbologies". The integral 1D bar code scanner shall have a depth of field of at least 4 inches for low and medium density bar codes and 2 inches for high density bar codes (These are not minimum read distances) and shall be capable of reading a minimum print quality of grade C bar codes in accordance with ANSI ASCX3.182-1990 (R1995).

**4.18.1.2 SEPARATELY ORDERABLE COMPONENTS.**

The Contractor shall provide the following Separately Orderable Components for the PDCT-F1CX:

- a. Communication Docking Station/Battery Charger;
- b. Multiple Battery Charger;
- c. Rechargeable Battery.

TO:

**4.18.7 PDCT-F1CX, COLOR PDCT, WITH INTEGRAL 1D SCANNER.**

The Contractor shall provide a ruggedized, programmable PDCT with an integral 1D linear bar code scanner. The integral 1D bar code scanner of the PDCT-F1CX shall scan low to high-density linear bar codes listed in the paragraph entitled "Bar Code Symbologies". The integral 1D bar code scanner shall have a depth of field of at least 4 inches for low and medium density bar codes and 2 inches for high density bar codes (These are not minimum read distances) and shall be capable of reading a minimum print quality of grade C bar codes in accordance with ANSI ASCX3.182-1990 (R1995).

**4.18.7.1 SEPARATELY ORDERABLE COMPONENTS.**

The Contractor shall provide the following Separately Orderable Components for the PDCT-F1CX:

- a. Communication Docking Station/Battery Charger;
- b. Multiple Battery Charger;
- c. Rechargeable Battery.

D. The following contract parts are replaced in their entirety and dated 28 July 2003 for administrative purposes: Contract Part B-2. Changes in Microsoft Excel are denoted by a bar ( | ) in the right margin.

The changes to Part D-1 will be issued in a later modification.

E. As a result of this modification, there is no change in the total amount obligated under the contract.