

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE J	PAGE OF 1 5
2. AMENDMENT/MODIFICATION NO P00106	3. EFFECTIVE DATE See Block 16C.	4. REQUISITION/PURCHASE REQ. NO. N/A	5. PROJECT NO. (If applicable) AIT-II	
6. ISSUED BY US Army Information Technology, E-Commerce and Commercial Contracting Center, ATTN: SFCA-IT (J Spaulding)(703)325-8727 2461 Eiscnhower Avenue Alexandria, Virginia 22331-1700 Fax: (703) 428-1660 e-mail: Janet.spaulding@itcc4.army.mil		7. ADMINISTERED BY (If other than Item 6) DCMC Long Island 605 Stewart Ave. Garden City, NY 11530-476	CODE S3309A	
8. NAME AND ADDRESS OF CONTRACTOR Symbol Technologies Inc. One Symbol Plaza, MS-A39 Holtsville, New York 11742-1300 Margaret Fagan, Fax: (631) 738-4611			(4)	9A. AMENDMENT OF SOLICITATION NO. 9B. DATED (SEE ITEM 11)
CODE 64928	FACILITY CODE		X	10A. MODIFICATION OF CONTRACT/ORDER NO. DAAB15-99-D-0015 10B. DATED (SEE ITEM 13) 13 July 1999

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning ___ copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATA SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and data specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

N/A

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(4)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.109(b).
X	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1-1(h). Current Technology and Substitutions/Additions/Insertions
	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return 1 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

See Pages 2 - 5.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remain unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print) MARGARET E. FAGAN, Contract Manager, (631) 738-5945 Symbol Technologies, Inc. email: fagan@symbol.com	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) GLORIA J. MCGEE, Contracting Officer (703) 325-2927 e-mail: gloria.mcgee@itcc4.army.mil
15B. CONTRACTOR/OFFEROR <i>Margaret E. Fagan</i> (Signature of person authorized to sign)	16B. UNITED STATES OF AMERICA BY <i>Gloria J. McGee</i> (Signature of Contracting Officer)
15C. DATE SIGNED 9/10/03	16C. DATE SIGNED 10 Sep 03

NSN 7540-01-152-8070
PREVIOUS EDITION UNUSABLE

30-105
Computer Generated

STANDARD FORM 30 (REV. 10-83)
Prescribed by GSA
FAR (48 CFR) 53.243

A. The purpose of this modification is:

1. To incorporate CCP 0139, Product deletion of Fixed Data Collection Tool and associated maintenance.
2. To incorporate CCP 0141, Part number change due to manufacturer's part number change.
3. Issue changes to Part D-1 that have been incorporated in P00083 through P00106.

B. Section B, Supplies/Services, is hereby modified as follows with changes in **bold print**:

FROM:

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
X001PA	VRC 5040 Class FDCT-B5G Spectrum24 (2.45 Gigahertz) RF, Fixed-Mount Data Collection Terminal, MS-DOS 6.22, Ruggedized Programmable Fixed/Vehicle Mount Terminal, 8 MB RAM Memory, 2 MB Flash Memory, Full VGA Resolution Screen with 640 x 240 resolution, Key Board, PC Card Reader, Power Cable Assy and Quick Reference Guide. SYMBOL VRC5040-10E80D10, 11NS0203-0300, PC801, 25-38701-01	1	EA	5156	5529	5253	4990	4741
X001PB	FDCT B Class AC Adapter, includes Power Supply, Line Cord and output cable. SYMBOL 50-14001-004, 23844-00-00, 50-16002-019	1	EA	355	355	355	355	355
X001PC	FDCT B Class Vehicle Power Adapter Kit includes Power Supply (Propane) and Line Cord SYMBOL PS-12/24V-N-PKG	1	EA	574	574	574	574	574
X001PD	FDCT B Class Stationary and Vehicle Mounting Kit , Bracket Assembly, Keyboard Swivel SYMBOL MTG-BKT05B	1	EA	107	107	107	107	107

TO:

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
X001PA	Reserved							
X001PB	Reserved							
X001PC	Reserved							
X001PD	Reserved							

FROM:

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Option Year 3 3XXX	Option Year 4 4XXX	Option Year 5 5XXX	Option Year 6 6XXX	Option Year 7 7XXX	Option Year 8 8XXX	Option Year 9 9XXX
	FDCT-B5G (2.4 to 2.5 Gigahertz) RF, Fixed-Mount, Data Collection Terminal									
X028PA	CONUS - Per Incident	1	EA	411	411	349	297	252	215	182
X028PB	CONUS - On-Call	1	MO	21	21	17	15	13	11	9
X028PC	OCONUS - Per Incident	1	EA	411	411	349	297	252	215	182

X028PD	OCONUS - On-Call	1	MO	21	21	17	15	13	11	9
X028PE	CONUS - Mail-in/Carry-in	1	EA	214	214	182	154	131	112	95
X028PF	CONUS - Mail-in/Carry-in	1	MO	11	11	9	8	7	6	5
X028PG	OCONUS - Mail-in/Carry-in	1	EA	214	214	182	154	131	112	95
X028PH	OCONUS - Mail-in/Carry-in	1	MO	11	11	9	8	7	6	5

TO:

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Option Year 3 3XXX	Option Year 4 4XXX	Option Year 5 5XXX	Option Year 6 6XXX	Option Year 7 7XXX	Option Year 8 8XXX	Option Year 9 9XXX
	RESERVED									
X028PA	RESERVED									
X028PB	RESERVED									
X028PC	RESERVED									
X028PD	RESERVED									
X028PE	RESERVED									
X028PF	RESERVED									
X028PG	RESERVED									
X028PH	RESERVED									

FROM:

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
X003AB	Operator's Maintenance Kit. ZEBRA 1429	1	EA	3	3	3	3	3
X011LA	Medium Capability Bar Code Label Printer Accessories , Transit Case Configuration, Description/Quantity, Operator's Maintenance Kit; 8-inch roll of 4 by 6-inch, plastic bar code label stock, 2 each; Automatic Take-up Reel with 8-inch reel; Resin Printer Ribbon (sufficient for printing 2 rolls label stock); Portable Bar Code Verifier; 5 mil, visible light, wand bar code scanner for portable bar code verifier; Set of rechargeable batteries for portable bar code verifier, 2 each; AC Adapter for portable bar code verifier; Battery Charger for portable bar code verifier; Bar Code Symbology Test Sheets for portable bar code verifier; Reflectance Measurement Stand for portable bar code verifier; Commercial Manuals, 1 per each piece of equipment; Set of Universal Power Plug Adapters for portable bar code verifier; Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set., Transit Case, 1 each. SYMBOL 1429 (1), 77058 (1), QC600 (1), 58-40000-067 (1), 50-14001-003 (1), 23844-00-00 (2), QCIW5 (1), 101-BCTS1 (1), 50-16002-014 (1), QCRH (1), 58-40000-057 (1), 58-40000-059 (1), 58-40000-060 (1), 58-40000-064 (1), 50-24000-022 (1), 50-14001-003 (1), 50-16002-021 (1), 58-40000-080 (1), 5095BK11045 (2), 91131 (2), 58-40000-092 (2), 58-40000-046 (1), 5095BK11045 (2), 91131 (2), 1429 (1)	1	EA	2315	2315	2315	2315	2315

TO:

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
X003AB	Operator's Maintenance Kit. ZEBRA 47362	1	EA	3	3	3	3	3

X011LA	<p>Medium Capability Bar Code Label Printer Accessories , Transit Case Configuration, Description/Quantity, Operator's Maintenance Kit; 8-inch roll of 4 by 6-inch, plastic bar code label stock, 2 each; Automatic Take-up Reel with 8-inch reel; Resin Printer Ribbon (sufficient for printing 2 rolls label stock); Portable Bar Code Verifier; 5 mil, visible light, wand bar code scanner for portable bar code verifier; Set of rechargeable batteries for portable bar code verifier, 2 each; AC Adapter for portable bar code verifier; Battery Charger for portable bar code verifier; Bar Code Symbology Test Sheets for portable bar code verifier; Reflectance Measurement Stand for portable bar code verifier; Commercial Manuals, 1 per each piece of equipment; Set of Universal Power Plug Adapters for portable bar code verifier; Contractor Furnished Transit Case Configurations Training Videotape and CD-ROM; 1 set., Transit Case, 1 each.</p> <p>SYMBOL 47362 (1), 77058 (1), QC600 (1), 58-40000-067 (1), 50-14001-003 (1), 23844-00-00 (2), QCIW5 (1), 101-BCTS1 (1), 50-16002-014 (1), QCRH (1), 58-40000-057 (1), 58-40000-059 (1), 58-40000-060 (1), 58-40000-064 (1), 50-24000-022 (1), 50-14001-003 (1), 50-16002-021 (1), 58-40000-080 (1), 5095BK11045 (2), 91131 (2), 58-40000-092 (2), 58-40000-046 (1), 5095BK11045 (2), 91131 (2), 47362 (1)</p>	1	EA	2315	2315	2315	2315	2315
--------	--	---	----	------	------	------	------	------

C. Part D-1, Specification and Statement of Work, is modified as follows with numbering being "RESERVED":

~~4.3.12~~ ~~FDCT B5G (2.4 to 2.5 GHz) RF, Fixed Mount, Data Collection Terminal.~~

~~The Contractor shall provide a fixed mount RF FDCT that is programmable and ruggedized. The FDCT B5G shall provide support for external bar code wands, scanners, and imagers. This FDCT shall support the linear bar codes listed in the paragraph entitled "Bar Code Symbologies", as well as the 2D symbology PDF 417. The display screen for the FDCT B5G shall be a minimum 40 characters by 16 rows, without scrolling. The Contractor shall provide Mounting Kits that allow the user to mount the FDCT B5G in a stationary position (such as for scanning items on a conveyor belt) or on a vehicle (such as a forklift). The Contractor shall provide a Vehicle Power Adapter that shall support the voltages of 12 to 48 volts direct current. The Contractor shall provide an AC adapter for use in a fixed location. The FDCT B5G shall also incorporate 2.4 to 2.5 GHz (IEEE 802.11 conformant) spread spectrum RF communications as an integral feature, or by use of a PC Card device.~~

~~4.3.12.1~~ ~~Separately Orderable Components.~~

~~The Contractor shall provide the following Separately Orderable Components for the FDCT B5G:~~

- ~~a. AC Adapter;~~
- ~~b. Vehicle Power Adapter Kit;~~
- ~~c. Stationary Mounting Kit;~~
- ~~d. Vehicle Mounting Kit;~~
- ~~e. Memory Upgrade to 8 Mbytes RAM, unless the basic FDCT B5G is provided with at least 8 Mbytes RAM.~~

D. The following contract parts are replaced in their entirety and dated as annotated for administrative purposes: Contract Parts B-2 and D-1, 13 August 2003.

Changes in Microsoft Excel are denoted by a bar (|) in the right margin.

Changes in Microsoft Word are implemented using the highlight (strikethrough) technique as follows:

Under Tools, Options, Track Changes Tab:

Inserted text; Mark: Underline, Color: Auto

Changed lines; Mark: Right border, Color: Auto

E. As a result of this modification, there is no change in the total amount obligated under the contract.