

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE J	PAGE OF PAGES 1 11
2. AMENDMENT/MODIFICATION NO. P00114	3. EFFECTIVE DATE See Block 16C.	4. REQUISITION/PURCHASE REQ. NO. N/A	5. PROJECT NO. (If applicable) AIT-II	
6. ISSUED BY US Army Contracting Agency, ITEC4 ATTN: SFCA-IT-A (Morie Gunter-Henderson 703 325-5779 e-mail: morie.gunter-henderson@itec4.army.mil) 2461 Eisenhower Avenue, Rm. 284 Alexandria, Virginia 22331-1700	CODE W91OUZ	7. ADMINISTERED BY (If other than Item 6) DCMC Long Island 605 Stewart Ave. Garden City, NY 11530-476	CODE S3309A	
8. NAME AND ADDRESS OF CONTRACTOR Symbol Technologies Inc. One Symbol Plaza, MS-A39 Holtsville, New York 11742-1300 Jerold Westfall, Fax: (804) 932-4944			(*)	9A. AMENDMENT OF SOLICITATION NO.
				9B. DATED (SEE ITEM 11)
			X	10A. MODIFICATION OF CONTRACT/ORDER NO. DAAB15-99-D-0015
CODE 64928 FACILITY CODE				10B. DATED (SEE ITEM 13) 13 July 1999

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning ___ copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATA SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and data specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)
N/A

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(*)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
X	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1-1(h), Current Technology and Substitutions/Additions/Insertions.
	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor ___ is not, **X** is required to sign this document and return **1** copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)
See Pages 2 - 11.

15A. NAME AND TITLE OF SIGNER (Type or print) JEROLD WESTFALL, Contract Manager, (804) 932-5057 Symbol Technologies, Inc. email: westfall@symbol.com		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) GLORIA J. McGEE, Contracting Officer (703) 325-2927 e-mail: Gloria.mcgee@itec4.army.mil	
15B. CONTRACTOR/OFFEROR Jerold D. Westfall (Signature of person authorized to sign)	15C. DATE SIGNED 22-MAR-04	16B. UNITED STATES OF AMERICA BY Gloria J. McGee (Signature of Contracting Officer)	16C. DATE SIGNED 23 Mar 04

A. The purpose of this modification is to:

1. Incorporate CCP 0147, for product substitution of SLINs X001QB, X001QP, X001QW, X001QX, X001SK, X001SM, X001SN, X001SP, X001WA, X001WB, X001WN, X001WX, X001YJ, X001ZG and X001ZH, Rechargeable Battery (3.7V, 1550Mah), to replace the current P/N 21-52319-01, with a newer 3.7V, 1700mAH rechargeable battery P/N 21-58236-01.
2. Administratively restore the description of SLIN X001QP, which was inadvertently changed in modification P00091, dated 19 June 03.

B. Section B, Supplies/Services, is hereby modified as follows with changes in **bold print**:

FROM:

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
CLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X001QB	<p>PPT2800 Class PDCT-C1AC Portable Batch, Color, Palm-Sized AIT II Platform, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64 MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, printer cable, Quick Reference Guide. SYMBOL PPT2800-TRBZ0Y00, (2) 21-52319-01, 25-38374-02, 72-39059-01.</p> <p>(Note: MS ActiveSynch 3.1 or higher is required for synchronization to the desktop and is freely downloadable from Microsoft's Website.</p> <p>(Note: The latest PPT2846 Software Development Kit (SDK), software drivers, firmware & product documentation may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm. No application generation development software is currently available on the contract.)</p>	1	EA			1070	1070	1070

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
CLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X001QP	Sequence, High Rate, 11Mbps, Portable, Palm-Sized, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64 MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, printer cable, Quick Reference Guide. SYMBOL PPT2846-TRWZ0YUS, (2) 21-52319-01, 25-38374-02, 72-39059-01. (Note: MS ActiveSynch 3.1 or higher is required for synchronization to the desktop and may be downloaded free of charge from Microsoft's web site at www.microsoft.com/pocketpc/downloads/activesync.asp) (Note: The latest PPT2846 Software Development Kit (SDK), software drivers, firmware & product documentation may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm . No application generation development software is currently available on the contract.)	1	EA			1253	1253	1253
X001QW	PPT2842 Class PDCT-C1CGX, color, Spectrum24 (2.45 Gigahertz), 2Mbps, Portable, Palm-Sized, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, printer cable, Quick Reference Guide.SYMBOL PPT2842-TRBZ0YEU, 21-52319-01 (2), 25-38374-02, 72-39059-01. (Note: MS ActiveSynch 3.1 or later is required for synchronization to the desktop)	1	EA				1500	1500
X001QX	PPT2846 Class PDCT-C1CGAX, color, Spectrum24 (2.45 Gigahertz), 11Mbps, Portable, Palm-Sized, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, printer cable, Quick Reference Guide.SYMBOL PPT2846-TRBZ0YUS, 21-52319-01 (2), 25-38374-02, 72-39059-01. (Note: MS ActiveSynch 3.1 or later is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)	1	EA				1450	1450
X001SK	PDCT C Class, E Class and F Class, High Capacity, Rechargeable Battery (3.7V, 1550 mAH LiION) SYMBOL 21-52319-01	1	EA	28	28	28	28	28
X001SM	PPT2800 Class PDCT-C2AX, monochrome, Portable Batch, Palm-Sized, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE2200 2D Scan Engine, carry case, printer cable, Quick Reference Guide.SYMBOL PPT2800-BRIZ0Y00, 21-52319-01 (2), 25-38374-02, 72-39059-01. (Note: MS ActiveSynch 3.1 or higher is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)	1	EA				1158	1158

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
CLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X001SN	PPT2842 Class PDCT-C2AGX, monochrome, Spectrum24 (2.45 Gigahertz), 2Mbps, Portable, Palm-Sized, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE2200 2D Scan Engine, carry case, printer cable, Quick Reference Guide.SYMBOL PPT2842-BRIZ0YEU, 21-52319-01 (2), 25-38374-02, 72-39059-01. (Note: MS ActiveSynch 3.1 or higher is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)	1	EA				1369	1369
X001SP	PPT2846 Class PDCT-C2AGDX, monochrome, Spectrum24 (2.45 Gigahertz), High Rate, DS, 11Mbps, Portable, Palm-Sized, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE2200 2D Scan Engine, carry case, printer cable, Quick Reference Guide.SYMBOL PPT2846-BRIZ0YUS, 21-52319-01 (2), 25-38374-02, 72-39059-01. (Note: MS ActiveSynch 3.1 or higher is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)	1	EA				1305	1305
X001WA	PPT1700 Class PDCT-E1 Portable, Batch, 1D, PALM OS, Palm-Sized Platform, Ruggedized Programmable PDCT with (2) Batteries, 8MB RAM Memory, 2 MB ROM Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, Quick Reference Guide. SYMBOL SPT1700-ZRG80200,(2 QTY) 21-52319-01 (Note: PALM OS Desktop Software is required for synchronization to the desktop and is freely downloadable at PALM's or Symbols Inc. website.) http://software.symbol.com/devzone/index.cfm (Note: The latest SPT1700 Software Development Kit (SDK), software drivers, firmware, product documentation and desktop software may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm . A programming tool not currently on the contract is required for program development using the SDK. No application generation development software is currently on the contract.)	1	EA			604	604	604

				Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
CLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X001WB	<p>PPT1800 Class PDCT-E1A Portable, Batch, 1D, PALM OS, Palm-Sized Platform, Ruggedized Programmable PDCT with (2) Batteries, 8MB RAM Memory, 4 MB ROM Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, Quick Reference Guide. SYMBOL SPT1800-TRG80400, (2 QTY) 21-52319-01</p> <p>(Note: PALM OS Desktop Software is required for synchronization to the desktop and may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm)</p> <p>(Note: The latest SPT1800 Software Development Kit (SDK), software drivers, firmware, product documentation and desktop software may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm. A programming tool not currently on the contract is required for program development using the SDK. No application generation development software is currently on the contract.)</p>	1	EA			445	445	445
X001WN	<p>PPT1842 Class PDCT-E1AG Spectrum24 (2.45 GHz) RF PDCT, 2Mbps, PALM OS, 1D, Palm-Sized Platform, Ruggedized Programmable PDCT with (2) Batteries, 8MB RAM Memory, 4 MB ROM Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, Quick Reference Guide. SYMBOL SPT1842-TRG804EU, (2 QTY) 21-52319-01</p> <p>(Note: PALM OS Desktop Software is required for synchronization to the desktop and may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm)</p> <p>(Note: The latest SPT1800 Software Development Kit (SDK), software drivers, firmware, product documentation and desktop software may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm. A programming tool not currently on the contract is required for program development using the SDK. No application generation development software is currently on the contract.)</p>	1	EA			695	695	695

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
CLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X001WX	<p>PPT1846 Class PDCT-E1AGB Spectrum24 (2.45 GHz) RF PDCT, 11Mbps, PALM OS,1D, Palm-Sized Platform, Ruggedized Programmable PDCT with (2) Batteries, 8MB RAM Memory, 4 MB ROM Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, Quick Reference Guide. (CONUS USE ONLY) SYMBOL SPT1846-TKG804US, (2 QTY) 21-52319-01</p> <p>(Note: PALM OS Desktop Software is required for synchronization to the desktop and may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm)</p> <p>(Note: The latest SPT1800 Software Development Kit (SDK), software drivers, firmware, product documentation and desktop software may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm. A programming tool not currently on the contract is required for program development using the SDK. No application generation development software is currently on the contract.)</p>	1	EA			667	667	667
X001YJ	<p>PDT F Class, High Capacity, Rechargeable Battery (3.7V, 1550 mA H LiION) SYMBOL 21-52319-01</p>	1	EA			30	30	30
X001ZG	<p>PDT 8000 Class PDCT-G1X, Batch, color, Pocket PC 2002, 1D, 23 key, Ruggedized Programmable PDCT with 128MB RAM Memory, 64 MB ROM, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated Linear Scan Engine, (2) Batteries, Quick Reference Guide. SYMBOL PDT8000-TS280000, 21-52319-01 (2)</p> <p>(Note: MS ActiveSynch 3.1 is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)(Note: The latest PDT80XX Software Development Kit (SDK), software drivers, firmware & product documentation may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm.)</p> <p>(Note: (Note: The 8000 Family employs the Intel XScale architecture. Presently there is no AIT II application generation (ADK) software available for this processor or device.)</p>	1	EA				1525	1525
X001ZH	<p>PDT 8046 Class PDCT-G1GDX, Spectrum24 (2.45 GHz) Direct Sequence, High Rate, 11Mbps, color, Pocket PC 2002, 1D, 23 key, Ruggedized Programmable PDCT with 128MB RAM Memory, 64 MB Flash Memory, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated Linear Scan Engine, (2) Batteries, Quick Reference Guide. SYMBOL PDT8046-TS2800WW, 21-52319-01 (Note: MS ActiveSynch 3.1 or higher is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)</p>	1	EA				1625	1625

TO :

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
CLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X001QB	<p>PPT2800 Class PDCT-C1AC Portable Batch, Color, Palm-Sized AIT II Platform, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64 MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, printer cable, Quick Reference Guide. SYMBOL PPT2800-TRBZ0Y00, (2) 21-58236-01, 25-38374-02, 72-39059-01.</p> <p>(Note: MS ActiveSynch 3.1 or higher is required for synchronization to the desktop and is freely downloadable from Microsoft's Website.</p> <p>(Note: The latest PPT2846 Software Development Kit (SDK), software drivers, firmware & product documentation may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm. No application generation development software is currently available on the contract.)</p>	1	EA			1070	1070	1070
X001QP	<p>PPT2846 Class PDCT-C1GAX Spectrum24 (2.45 Gigahertz), Direct Sequence, High Rate, 11Mbps, Portable, Palm-Sized, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64 MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, printer cable, Quick Reference Guide. SYMBOL PPT2846-TRWZ0YUS, (2) 21-58236-01, 25-38374-02, 72-39059-01.</p> <p>(Note: MS ActiveSynch 3.1 or higher is required for synchronization to the desktop and may be downloaded free of charge from Microsoft's web site at www.microsoft.com/pocketpc/downloads/activesync.asp)</p> <p>(Note: The latest PPT2846 Software Development Kit (SDK), software drivers, firmware & product documentation may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm. No application generation development software is currently available on the contract.)</p>	1	EA			1253	1253	1253
X001QW	<p>PPT2842 Class PDCT-C1CGX, color, Spectrum24 (2.45 Gigahertz), 2Mbps, Portable, Palm-Sized, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, printer cable, Quick Reference Guide. SYMBOL PPT2842-TRBZ0YEU, 21-58236-01 (2), 25-38374-02, 72-39059-01. (Note: MS ActiveSynch 3.1 or later is required for synchronization to the desktop)</p>	1	EA				1500	1500

NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.				Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
CLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X001QX	PPT2846 Class PDCT-C1CGAX, color, Spectrum24 (2.45 Gigahertz), 11Mbps, Portable, Palm-Sized, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, printer cable, Quick Reference Guide.SYMBOL PPT2846-TRBZ0YUS, 21-58236-01 (2), 25-38374-02, 72-39059-01. (Note: MS ActiveSynch 3.1 or later is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)	1	EA				1450	1450
X001SK	PDCT C Class, E Class and Strong ARM F Class, High Capacity, Rechargeable Battery (3.7V, 1550 mAH LiION) SYMBOL 21-58236-01	1	EA	28	28	28	28	28
X001SM	PPT2800 Class PDCT-C2AX, monochrome, Portable Batch, Palm-Sized, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE2200 2D Scan Engine, carry case, printer cable, Quick Reference Guide.SYMBOL PPT2800-BRIZ0Y00, 21-58236-01 (2), 25-38374-02, 72-39059-01. (Note: MS ActiveSynch 3.1 or higher is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)	1	EA				1158	1158
X001SN	PPT2842 Class PDCT-C2AGX, monochrome, Spectrum24 (2.45 Gigahertz), 2Mbps, Portable, Palm-Sized, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE2200 2D Scan Engine, carry case, printer cable, Quick Reference Guide.SYMBOL PPT2842-BRIZ0YEU, 21-58236-01 (2), 25-38374-02, 72-39059-01. (Note: MS ActiveSynch 3.1 or higher is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)	1	EA				1369	1369
X001SP	PPT2846 Class PDCT-C2AGDX, monochrome, Spectrum24 (2.45 Gigahertz), High Rate, DS, 11Mbps, Portable, Palm-Sized, Pocket PC, Ruggedized Programmable PDCT with (2) Batteries, 64MB RAM Memory, 32 MB Flash Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE2200 2D Scan Engine, carry case, printer cable, Quick Reference Guide.SYMBOL PPT2846-BRIZ0YUS, 21-58236-01 (2), 25-38374-02, 72-39059-01. (Note: MS ActiveSynch 3.1 or higher is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)	1	EA				1305	1305

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
CLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X001WA	<p>PPT1700 Class PDCT-E1 Portable, Batch, 1D, PALM OS, Palm-Sized Platform, Ruggedized Programmable PDCT with (2) Batteries, 8MB RAM Memory, 2 MB ROM Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, Quick Reference Guide.</p> <p>SYMBOL SPT1700-ZRG80200,(2 QTY) 21-58236-01</p> <p>(Note: PALM OS Desktop Software is required for synchronization to the desktop and is freely downloadable at PALM's or Symbols Inc. website.) http://software.symbol.com/devzone/index.cfm</p> <p>(Note: The latest SPT1700 Software Development Kit (SDK), software drivers, firmware, product documentation and desktop software may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm.</p> <p>A programming tool not currently on the contract is required for program development using the SDK. No application generation development software is currently on the contract.)</p>	1	EA			604	604	604
X001WB	<p>PPT1800 Class PDCT-E1A Portable, Batch, 1D, PALM OS, Palm-Sized Platform, Ruggedized Programmable PDCT with (2) Batteries, 8MB RAM Memory, 4 MB ROM Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, Quick Reference Guide.</p> <p>SYMBOL SPT1800-TRG80400, (2 QTY) 21-58236-01</p> <p>(Note: PALM OS Desktop Software is required for synchronization to the desktop and may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm)</p> <p>(Note: The latest SPT1800 Software Development Kit (SDK), software drivers, firmware, product documentation and desktop software may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm. A programming tool not currently on the contract is required for program development using the SDK. No application generation development software is currently on the contract.)</p>	1	EA			445	445	445

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
CLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X001WN	<p>PPT1842 Class PDCT-E1AG Spectrum24 (2.45 GHz) RF PDCT, 2Mbps, PALM OS,1D, Palm-Sized Platform, Ruggedized Programmable PDCT with (2) Batteries, 8MB RAM Memory, 4 MB ROM Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, Quick Reference Guide. SYMBOL SPT1842-TRG804EU, (2 QTY) 21-58236-01</p> <p>(Note: PALM OS Desktop Software is required for synchronization to the desktop and may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm)</p> <p>(Note: The latest SPT1800 Software Development Kit (SDK), software drivers, firmware, product documentation and desktop software may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm. A programming tool not currently on the contract is required for program development using the SDK. No application generation development software is currently on the contract.)</p>	1	EA			695	695	695
X001WX	<p>PPT1846 Class PDCT-E1AGB Spectrum24 (2.45 GHz) RF PDCT, 11Mbps, PALM OS,1D, Palm-Sized Platform, Ruggedized Programmable PDCT with (2) Batteries, 8MB RAM Memory, 4 MB ROM Memory, Pop-up (Virtual) Keyboard, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated SE900 1D Linear Scan Engine, carry case, Quick Reference Guide. (CONUS USE ONLY) SYMBOL SPT1846-TKG804US, (2 QTY) 21-58236-01</p> <p>(Note: PALM OS Desktop Software is required for synchronization to the desktop and may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm)</p> <p>(Note: The latest SPT1800 Software Development Kit (SDK), software drivers, firmware, product documentation and desktop software may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm. A programming tool not currently on the contract is required for program development using the SDK. No application generation development software is currently on the contract.)</p>	1	EA			667	667	667
X001YJ	<p>PDT F Class, High Capacity, Rechargeable Battery (3.7V, 1550 mAH LiION) SYMBOL 21-58236-01</p>	1	EA			30	30	30

	NOTE: The CLINs are divided into ten series. The 0XXX series represents the Base Year CLINs. Series 1XXX represents Option Year 1 CLINs. Series 2XXX through 9XXX represent Option Years 2 through 9 CLINs, respectively. Shaded areas denote contract periods in which the CLIN/SLIN may not be ordered. See Note 2. on Page 1 of this Part and Part C-1-1(e) for ordering periods.			Base Year 0XXX	Option Year 1 1XXX	Option Year 2 2XXX	Option Year 3 3XXX	Option Year 4 4XXX
CLIN	DESCRIPTION	QTY	Unit	Unit Price	Unit Price	Unit Price	Unit Price	Unit Price
X001ZG	<p>PDT 8000 Class PDCT-G1X, Batch, color, Pocket PC 2002, 1D, 23 key, Ruggedized Programmable PDCT with 128MB RAM Memory, 64 MB ROM, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated Linear Scan Engine, (2) Batteries, Quick Reference Guide. SYMBOL PDT8000-TS280000, 21-58236-01 (2)</p> <p>(Note: MS ActiveSynch 3.1 is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)(Note: The latest PDT80XX Software Development Kit (SDK), software drivers, firmware & product documentation may be downloaded free of charge at the following Symbol Technologies website: http://software.symbol.com/devzone/index.cfm.)</p> <p>(Note: (Note: The 8000 Family employs the Intel XScale architecture. Presently there is no AIT II application generation (ADK) software available for this processor or device.)</p>	1	EA				1625	1625
X001ZH	<p>PDT 8046 Class PDCT-G1GDX, Spectrum24 (2.45 GHz) Direct Sequence, High Rate, 11Mbps, color, Pocket PC 2002, 1D, 23 key, Ruggedized Programmable PDCT with 128MB RAM Memory, 64 MB Flash Memory, ¼ VGA Resolution Screen with 320 X 240 resolution, and integrated Linear Scan Engine, (2) Batteries, Quick Reference Guide. SYMBOL PDT8046-TS2800WW, 21-58236-01 (Note: MS ActiveSynch 3.1or higher is required for synchronization to the desktop and is freely downloadable from Microsoft's web site.)</p>	1	EA				1625	1625

C. The following contract part is replaced in its entirety and dated as annotated for administrative purposes: Contract Part B-2, 8 March 2004.

Changes in Microsoft Excel are denoted by a bar (|) in the right margin.

D. As a result of this modification, there is no change in the total amount obligated under the contract.